



EK150-111 EK150-112



EK150-113 EK150-114

	1	I	1	I
Model	EK150-111	EK150-112	EK150-113	EK150-114
Description	Gas Oven	Electric Oven	Gas Oven	Electric Oven
Volts	220~240V 50/60Hz	380V 50/60Hz	220~240V 50/60Hz	380V 50/60Hz
Power (W)	300	1800	300	19200
Outer Material	S/S and Aluminized Plate	S/S and Aluminized Plate	S/S and Aluminized Plate	S/S and Aluminized Plate
Tray Size (mm)	400x600	400x600	400x600	400x600
Capacity	3 Decks 6 trays	3 Decks 6 trays	3 Decks 9 or 6 trays	3 Decks 6 trays
Dimensions (mm)	1400x960x1820	1400x960x1700	1580x1060x1820	1580x1060x1700
Tray Positioning				
Certificate	-	C€	-	C€



EK150-115 EK150-116



EK150-117 EK150-118

	1			
Model	EK150-115	EK150-116	EK150-117	EK150-118
Description	Gas Oven	Electric Oven	Gas Oven	Electric Oven
Volts	220~240V 50/60Hz	380V 50/60Hz	220~240V 50/60Hz	380V 50/60Hz
Power (W)	300	22500	300	25200
Outer Material	S/S and Aluminized Plate	S/S and Aluminized Plate	S/S and Aluminized Plate	S/S and Aluminized Plate
Tray Size (mm)	400x600/460x720	400x600/460x720	400x600	460x720
Capacity	3 Decks 12 or 9 trays	3 Decks 6 trays	3 Decks 12 trays	3 Decks 9 trays
Dimensions (mm)	1860x1060x1820	1860x1060x1700	2000x1060x1820	2000x1060x1700
Tray Positioning				
Certificate	-	CE	-	C€





Model	EK150-119	EK150-120	EK150-121	EK150-122	EK150-123	EK150-124
Description	Electric Oven	Electric Oven	Electric Oven	Gas Oven	Gas Oven	Gas Oven
Volts	220-240V/380V 50/60Hz	380V 50/60Hz	380V 50/60Hz	220~240V 50/60Hz	220~240V 50/60Hz	220~240V 50/60Hz
Power (W)	6600	8400	12600	100	100	100
Outer Material	S/S and Aluminized Plate					
Tray Size (mm)	400x600	400x600	400x600	400x600	400x600	400x600
Capacity	1 Deck 2 trays	1 Deck 3 trays	1 Deck 4 trays	1 Deck 2 trays	1 Deck 3 trays	1 Deck 4 trays
Dimensions (mm)	1330x810x550	1750x810x550	1750x1060x550	1330x810x590	1750x810x590	1750x1060x590
Certificate	C€	CE	CE	-	-	-



EK150-125 EK150-127



You can choose black stainless steel



EK150-126 (with trolley) EK150-128 (with trolley)

Model	EK150-125	EK150-126	EK150-127	EK150-128
Description	Electric Oven	Electric Oven	Gas Oven	Gas Oven
Volts	380V 50/60Hz	380V 50/60Hz	220~240V 50/60Hz	220~240V 50/60Hz
Power (W)	13200	13200	200	200
Outer Material	S/S and Aluminized Plate	S/S and Aluminized Plate	S/S and Aluminized Plate	S/S and Aluminized Plate
Tray Size (mm)	400x600	400x600	400x600	400x600
Capacity	2 Decks 4 trays			
Dimensions (mm)	1330x810x1280	1330x810x1670	1330x810x1400	1330x810x1770
Tray Positioning				
Certificate	C€	C€	-	-







Model	EK150-129	EK150-130	EK150-131	EK150-132
Description	Electric Oven	Gas Oven	Electric Oven	Gas Oven
Volts	380V 50/60Hz	220~240V 50/60Hz	380V 50/60Hz	220~240V 50/60Hz
Power (W)	19800	300	25200	300
Outer Material	S/S and Aluminized Plate	S/S and Aluminized Plate	S/S and Aluminized Plate	S/S and Aluminized Plate
Tray Size (mm)	400x600	400x600	400x600	400x600
Capacity	3 Decks 6 trays	3 Decks 6 trays	3 Decks 9 trays	3 Decks 9 trays
Dimensions (mm)	1330x810x1650	1330x810x1800	1750x810x1650	1750x810x1800
Tray Positioning				
Certificate	CE	-	CE	-



EK150-133 EK150-134




EK150-135 EK150-136

Model	EK150-133	EK150-134	EK150-135	EK150-136
Wiodei	EK130-133	LK130-134	LK130-133	EK130-130
Description	Electric Oven	Gas Oven	Electric Oven	Gas Oven
Volts	380V 50/60Hz	220~240V 50/60Hz	380V 50/60Hz	220~240V 50/60Hz
Power (W)	32400	300	32400	300
Outer Material	S/S and Aluminized Plate	S/S and Aluminized Plate	Black S/S and Aluminized Plate	Black S/S and Aluminized Plate
Tray Size (mm)	400x600	400x600	400x600	400x600
Capacity	3 Decks 12 trays	3 Decks 12 trays	3 Decks 12 trays	3 Decks 12 trays
Dimensions (mm)	1750x1060x1650	1750x1060x1800	1750x1060x1650	1750x1060x1800
Tray Positioning				
Certificate	CE	-	CE	-



Electric/Gas Deck Oven







EK150-213 EK150-214

Model	EK150-211	EK150-212	EK150-213	EK150-214
Description	Electric Deck Oven	Gas Deck Oven	Electric Deck Oven	Gas Deck Oven
Volts	380V 50/60Hz	220~240V 50/60Hz	380V 50/60Hz	220~240V 50/60Hz
Power (W)	8400	200	8400	200
Outer Material	S/S and Aluminized Plate	S/S and Aluminized Plate	S/S and Aluminized Plate	Black S/S and Aluminized Plate
Heating Tube	Infrared	-	Infrared	-
Temperature	Domestics 300°C	Domestics 300°C	Domestics 300℃	Domestics 300℃
Stone Qty	2	2	2	2
Dimensions (mm)	890x780x740	1000x780x850	890x780x740	1000x780x850
Certificate	C€	•	C€	





Model	EK150-140	EK150-141	EK150-142
Description	Gas Deck Oven	Gas Deck Oven	Gas Deck Oven
Volts	220~240V 50/60Hz	220~240V 50/60Hz	220~240V 50/60Hz
Power (W)	200	200	200
Outer Material	S/S and Aluminized Plate	S/S and Aluminized Plate	S/S and Aluminized Plate
Tray Size (mm)	400x600	400x600	400x600
Capacity	2 Decks 4 trays	2 Decks 6 trays	2 Decks 8 trays
Dimensions (mm)	1330x840x1320	1750x840x1320	1750x1090x1320
Tray Positioning			
Certificate	-	-	-









EK150-143 EK150-144 EK150-147



EK150-145 EK150-146

Model	EK150-143	EK150-144	EK150-147	EK150-145	EK150-146
Description			Gas Deck Over	1	
Volts	220~240V 50/60Hz	220~240V 50/60Hz	220~240V 50/60Hz	220~240V 50/60Hz	220~240V 50/60Hz
Power (W)	300	300	300	300	300
Outer Material		Black S/S and Aluminized Plate	S/S and Aluminized Plate		
Tray Size (mm)	400x600	400x600	400x600	400x600	400x600
Capacity	3 Decks 6 trays	3 Decks 9 trays	3 Decks 12 trays	3 Decks 6 trays	3 Decks 9 trays
Dimensions (mm)	1330x840x1650	1750x840x1650	1750x1090x1650	1330x840x1650	1750x840x1650
Tray Positioning					
Certificate	-	-	-	-	-





EK150-148 EK150-149 EK150-150



EK150-151 EK150-152 EK150-153

Model	EK150-148	EK150-149	EK150-150	EK150-151	EK150-152	EK150-153	
Description		Gas Deck Oven					
Volts	220-240V 50/60Hz	220-240V 50/60Hz	220-240V 50/60Hz	220-240V 50/60Hz	220-240V 50/60Hz	220-240V 50/60Hz	
Power (W)	100	100	100	100	100	100	
Outer Material	S/S an	d Aluminized P	late	Black S/S and Aluminized Plate			
Tray Size (mm)	400x600	400x600	400x600	400x600	400x600	400x600	
Capacity	1 Deck 2 trays	1 Deck 3 trays	1 Deck 4 trays	1 Deck 2 trays	1 Deck 3 trays	1 Deck 4 trays	
Dimensions (mm)	1330x840x590	1750x840x590	1750x1090x590	1330x840x590	1750x840x590	1750x1090x590	
Certificate	-	-	-	-	-	-	









EK150-154 EK150-155 EK150-156



EK150-157 EK150-158 EK150-159

Model	EK150-154	EK150-155	EK150-156	EK150-157	EK150-158	EK150-159
Description	Gas Deck Oven					
Volts	220-240V 50/60Hz	220-240V 50/60Hz	220-240V 50/60Hz	220-240V 50/60Hz	220-240V 50/60Hz	220-240V 50/60Hz
Power (W)	200	200	200	200	200	200
Outer Material	S/S an	d Aluminized P	late	Black S/S and Aluminized Plate		
Tray Size (mm)	400x600	400x600	400x600	400x600	400x600	400x600
Capacity	1 Deck 4 trays	1 Deck 6 trays	1 Deck 8 trays	1 Deck 4 trays	1 Deck 6 trays	1 Deck 8 trays
Dimensions (mm)	1330x840x1320	1750x840x1320	1750x1090x1320	1330x840x1320	1750x840x1320	1750x1090x1320
Certificate	-	-	-	-	-	-









EK150-163



EK150-164 EK150-165

Model	EK150-107	EK150-163	EK150-164	EK150-165
Description	Gas Deck Oven	Gas Deck Oven Gas Deck Ov		Gas Deck Oven
Volts	220~240V 50/60Hz	220~240V 50/60Hz		
Power (W)	100	100	100	100
Outer Material	S/S and Aluminized Plate	S/S and Aluminized Plate	S/S and Aluminized Plate	S/S and Aluminized Plate
Tray Size (mm)	400x600	400x600	400x600	400x600 600x800
Capacity	1 Deck 1 tray	1 Deck 2 trays	1 Deck 3 trays	1 Deck 4 or 2 trays
Dimensions (mm)	980x570x500	1330x840x590	1750x840x590	1750x1090x590
Tray Positioning				
Certificate	-	-	-	-





EK150-166



EK150-167



EK150-168



EK150-169

Model	EK150-166	EK150-167	EK150-168	EK150-169
Description	Gas Deck Oven	Gas Deck Oven	Gas Deck Oven	Gas Deck Oven
Volts	220~240V 50/60Hz	220~240V 50/60Hz	220~240V 50/60Hz	220~240V 50/60Hz
Power (W)	200	200	300	300
Outer Material	S/S and Aluminized Plate	S/S and Aluminized Plate	S/S and Aluminized Plate	S/S and Aluminized Plate
Tray Size (mm)	400x600	400x600 600x800	400x600	400x600
Capacity	2 Decks 4 trays	2 Decks 8 or 4 trays	3 Decks 6 trays	3 Decks 9 trays
Dimensions (mm)	1330x840x1320	1750x1090x1320	1330x840x1650	1750x840x1650
Certificate	-	-	-	-







EK150-170



EK150-172



EK150-171



EK150-173

Model	EK150-170	EK150-171	EK150-172	EK150-173
Description	Gas Deck Oven	Gas Deck Oven	Gas Deck Oven	Gas Deck Oven
Volts	220~240V 50/60Hz	220~240V 50/60Hz	220~240V 50/60Hz	220~240V 50/60Hz
Power (W)	300	200	100	300
Outer Material	S/S and Aluminized Plate	Black S/S and Aluminized Plate	S/S and Aluminized Plate	Black S/S and Aluminized Plate
Tray Size (mm)	400x600 600x800	400x600 600x800	400x600 600x800	400x600 600x800
Capacity	3 Decks 12 or 6 trays	2 Decks 8 or 4 trays	1 Deck 6 or 3 trays	3 Decks12 or 9 trays
Dimensions (mm)	1750x1090x1650	1750x1090x1770	2350x1090x590	2350x1090x1650
Certificate	-	-	-	-









EK150-174 EK150-175 EK150-176



EK150-177 EK150-178 EK150-179

Model	EK150-174	EK150-175	EK150-176	EK150-177	EK150-178	EK150-179
Description			Electric De	ck Oven		
Volts	220-240V 50/60Hz	380V 50/60Hz	380V 50/60Hz	220~240V 50/60Hz	380V 50/60Hz	380V 50/60Hz
Power (W)	6600	8400	10800	6600	8400	10800
Outer Material	S/S and Aluminized Plate Black S/S and Aluminized Plate			ed Plate		
Tray Size (mm)	400x600	400x600	400x600	400x600	400x600	400x600
Capacity	1 Deck 2 trays	1 Deck 3 trays	1 Deck 4 trays	1 Deck 2 trays	1 Deck 3 trays	1 Deck 4 trays
Dimensions (mm)	1230x830x550	1650x830x550	1650x1060x550	1230x830x550	1650x830x550	1650x1060x550
Certificate	CE	C€	C€	C€	C€	C€







EK150-183 EK150-184 EK150-185

Model	EK150-180	EK150-181	EK150-182	EK150-183	EK150-184	EK150-185	
Description			Electric De	ck Oven			
Volts	380V 50/60Hz	380V 50/60Hz	380V 50/60Hz	380V 50/60Hz	380V 50/60Hz	380V 50/60Hz	
Power (W)	13200	16800	21600	13200	16800	21600	
Outer Material	S/S an	S/S and Aluminized Plate			S/S and Aluminized Plate		
Tray Size (mm)	400x600	400x600	400x600	400x600	400x600	400x600	
Capacity	2 Decks 4 trays	2 Decks 6 trays	2 Decks 8 trays	2 Decks 4 trays	2 Decks 6 trays	2 Decks 8 trays	
Dimensions (mm)	1230x830x1250	1650x830x1250	1650x1060x1250	1230x830x1250	1650x830x1250	1650x1060x1250	
Certificate	CE	CE	CE	CE	C€	C€	





EK150-186



EK150-187 EK150-188

Model	EK150-186	EK150-187	EK150-188
Description	Electric Deck Oven	Electric Deck Oven	Electric Deck Oven
Volts	380V 50/60Hz	380V 50/60Hz	380V 50/60Hz
Power (W)	19800	25200	32400
Outer Material	S/S and Aluminized Plate	S/S and Aluminized Plate	S/S and Aluminized Plate
Tray Size (mm)	400x600	400x600	400x600
Capacity	3 Decks 6 trays	3 Decks 9 trays	3 Decks 12 trays
Dimensions (mm)	1230x830x1520	1650x830x1520	1650x1060x1520
Tray Positioning			
Certificate	C€	C€	C€





EK150-108



EK150-189



EK150-190



EK150-109

Model	EK150-108	EK150-109	EK150-189	EK150-190
Description		Electric D	Deck Oven	
Volts	220~240V/380V 50/60Hz	380V 50/60Hz	220~240V/380V 50/60Hz	380V 50/60Hz
Power (W)	6600	13200	8400	21600
Outer Material	S/S and Aluminized Plate	S/S and Aluminized Plate	S/S and Aluminized Plate	S/S and Aluminized Plate
Tray Size (mm)	400x600	400x600	400x600	400x600
Capacity	1 Deck 2 trays	2 Decks 4 trays	1 Deck 3 trays	1 Deck 4 trays
Dimensions (mm)	1230x830x550	1230x830x1250	1650x830x550	1650x1060x550
Certificate	C€	CE	CE	C€







EK150-191





EK150-192

Model EK150-110 EK150-191 EK150-192 EK150-193 Description Electric Deck Oven 380V 380V 380V 380V **Volts** 50/60Hz 50/60Hz 50/60Hz 50/60Hz Power (W) 16800 19800 25200 32400 S/S and S/S and S/S and S/S and **Outer Material Aluminized Plate Aluminized Plate Aluminized Plate** Aluminized Plate Tray Size (mm) 400x600 400x600 400x600 400x600 Capacity 3 Decks 6 trays 2 Decks 6 trays 3 Decks 9 trays 3 Decks 12 trays 1650x830x1250 Dimensions (mm) 1230x830x1520 1650x830x1520 1650x1060x1520 ϵ ϵ ϵ ϵ Certificate







EK160-104+ST110-383 EK160-105+ST110-383



ST110-383

Model	EK160-104	EK160-105	ST110-383
Description	Electric Deck Oven	Electric Deck Oven	Shelf
Volts	220~240V 50/60Hz	220~240V 50/60Hz	_
Power (W)	3200	3200	-
Outer Material	S/S And A3 Plate	S/S And A3 Plate	_
Tray Size (mm)	400x600	400x600	-
Capacity	1 Deck 1 tray	1 Deck 1 tray	-
Stone Plate	-	V	-
Dimensions (mm)	880x610x450	880x610x450	880x600x685
Certificate	C€	C€	-



Gas/ Electric Pizza Oven Series (500° EGO) Germany Brand



EK150-100 EK150-102




EK150-101 EK150-103

- *The oven is special designed for baking Pizzas, Biscuit, Egg-tart and cookies;
- *All body material in full S/S 430 # with superior quality or Iron coating
- *The use of special brick stone with good storage temperature;
- *With mechanical thermostat 500℃ EGO which is Imported from Germany with high quality, controlling temperature automatically and constant
- *Using superior stainless steel heater (#304) enable to make durable and heating even;
- *with flame-out protection device is in unexpected status to ensure safty;
- *The chamber material for all oven is used for aluminizing plate with fast heat transfer,high temperature resistant as well as be met with food safety standards;
- *The oven with automatic pulse igniting and extinguishing safety valve in case of failure igniting;

Model	EK150-100	EK150-101	EK150-102	EK150-103
Description	Gas Single Deck One Tray Pizza Oven	Gas Single Deck One Tray Pizza Oven	Electric Single Deck One Tray Pizza Oven	Electric Single Deck One Tray Pizza Oven
Volts	220~240V 50/60Hz	220~240V 50/60Hz	220~240V 50/60Hz	220~240V 50/60Hz
Power (W)	100	100	4200	4200
Dimensions (mm)	1000×830×480	1000×830×480	890×790×460	890×790×460
Material	Stainless Steel	Iron coating	Stainless Steel	Iron coating
Heating Tube	_	_	304 S/S	304 S/S
Certificate	_	_	C€	C€







EK150-200 EK150-201

Model	EK150-198	EK150-199	EK150-200	EK150-201
Description	Electric Pizza Oven	Gas Pizza Oven	Electric Pizza Oven	Gas Pizza Oven
Volts	380V 50/60Hz	220~240V 50/60Hz	380V 50/60Hz	220~240V 50/60Hz
Power (W)	8400	200	8400	200
Outer Material	S/S and Aluminized Plate	S/S and Aluminized Plate	Black S/S and Aluminized Plate	Black S/S and Aluminized Plate
Heating Tube	304 S/S	-	304 S/S	-
Temperature	500 ℃	500 ℃	500 ℃	500 ℃
Stone Qty	2	2	2	2
Dimensions (mm)	890x780x740	1000x780x850	890x780x740	1000x780x850
Certificate	C€	•	C€	





Economic Gas/ Electric Pizza Oven Series (400 °C Temperature controller)





EK150-104

EK150-105

- *The oven is suitable for all types of bread,cake,biscuit,mooncake,bean,pizza and cookies ETC;
- *Front Body material in S/S #430 with superior quality, other body sides material is used by aluminizing sheet which with good looking, strong rust-proof, this material wont get reusting after use at least 8 year;
- * Using large perspective window and double-layer tempered glass is very convient to observe the status of baking things at any time and with light device;
- *With Microcomputer digital Temperature display meter (0-400°C),controlling temperature automatically and constant, The top and bottom fire is controlled separately;
- *Using high-quality XIR Extreme infrard heater to make even heating;
- *The chamber material for all oven is used for aluminized coid with fast heat transfer,high Temperature Resistant as well as be meet with food safety standards;

Model	EK150-104	EK150-105
Description	Gas Single Deck Three Trays Baking Oven	Electric Single Deck Three Trays Baking Oven
Volts	220~240V 50/60Hz	220~240/380V 50/60Hz
Power (W)	100	6600
Dimensions (mm)	1350×850×530	1300×820×455
Material	Painted Steel With Stainless Steel	Painted Steel With Stainless Steel
Heating Tube	=	Infrared
Certificate	 2	C€

Common Electric Pizza Oven



EK150-106

- *The oven is suitable for all types of bread,cake,biscuit,mooncake,bean,pizza and cookies ETC
- *Front Body material in S/S with superior quality, other body sides material is used by aluminizing sheet which with good looking, strong rust-proof, this material wont get reusting after use at least 8 year
- *Using large window and double-layer tempered glass is very convient to observe the status of baking things at any time and with light device
- *With Microcomputer digital Temperature display meter (20-300°C),controlling temperature automatically and constant, The top and bottom fire is controlled separately
- *Using high-quality XIR Extreme infrard heater to make even heating
- *The chamber material for all oven is used for aluminized coid with fast heat transfer, high Temperature Resistant as well as be meet with food safety standards

Model	EK150-106
Description	Electric Single Deck Two Trays Baking Oven
Volts	220~240V 50/60Hz
Power (W)	3000
Dimensions (mm)	890×577×420
Material	S/S and Aluminized Plate
Heating Tube	Infrared
Certificate	·—









Model	EK150-202	EK150-203
Description	Electric Pizza Oven	Gas Pizza Oven
Volts	380V 50/60Hz	220~240V 50/60Hz
Power (W)	13200	200
Outer Material	S/S and Aluminized Plate	S/S and Aluminized Plate
Heating Tube	Infrared	
Stone Qty	4	4
Dimensions (mm)	1300x820x1250	1350x850x1250
Certificate	C€	

