

# Convection Oven



Model	YXD-1A	YXD-1AE	YXD-1AC
Description	Convection Oven	Convection Oven	Convection Oven
Volts	220~240V/50Hz	220~240V/50Hz	220~240V/50Hz
Power(W)	2670	2670	2670
Outer Material	S/S	S/S	Metal Coating
Inner Material	S/S	Ceramic Coating	Ceramic Coating
Temperature Range	50-300°C	50-300°C	50-300°C
Tray Measurement	400x300mm	400x300mm	400x300mm
Dimensions(mm)	596x532x570	596x532x570	596x532x570
N.W.(KG)	37.6	37.6	37.6
Container	20'GP: 81 sets 40'GP & 40'HQ: 162 sets		
Certificate	CE	CE	CE

# Convection Oven



YXD-2A



YXD-3A



YXD-4A

Model	YXD-2A	YXD-3A	YXD-3AE	YXD-4A
Description	Convection Oven	Convection Oven	Convection Oven	Convection Oven
Volts	220~240V/50Hz	220~240V/50Hz	220~240V/50Hz	220~240V/50Hz
Power(W)	2670	2670/2000	2670/2000	2670/2000
Outer Material	S/S	S/S	S/S	S/S
Inner Material	S/S	S/S	Ceramic Coating	S/S
Function	Water Spray	Top Grill	Top Grill	Top Grill Water Spray
Temperature Range	50-300°C	50-300°C	50-300°C	50-300°C
Dimensions(mm)	596x532x570	596x532x570	596x532x570	596x532x570
Tray Measurement	400x300mm	400x300mm	400x300mm	400x300mm
N.W.(KG)	34.5	35	35	40
Container	20'GP: 81 sets 40'GP & 40'HQ: 162 sets			
Certificate	CE	CE	CE	CE

# Convection Oven



**YXD-6A**



**YXD-8A**



**YXD-BQ**



**YXD-M1E**

Model	YXD-6A	YXD-8A	YXD-BQ	YXD-M1E
<b>Description</b>	Convection Oven	Convection Oven	Convection Oven	Convection Oven
<b>Volts</b>	220~240V/50Hz	220~240V/50Hz	220~240V/50Hz	220~240V/50Hz
<b>Power(W)</b>	3100	6400	2670	2500
<b>Outer Material</b>	S/S	S/S	S/S	S/S
<b>Inner Material</b>	S/S	S/S	S/S	S/S
<b>Function</b>	Top Grill	Water Spray	-	-
<b>Temperature Range</b>	50-300°C	50-300°C	50-300°C	50-300°C
<b>Dimensions(mm)</b>	796x670x580	834x765x572	460x480x460	527x380x317
<b>N.W.(KG)</b>	70	67	30	18
<b>Certificate</b>	CE	CE	-	CE

# Convection Oven



**CS220S**



**CA220S**

Model	CS220S	CA220S
Description	Convection Oven	Convection Oven
Volts	220~240V/50Hz	220~240V/50Hz
Power(W)	1440	2800
Capacity(L)	21	57
Outer Material	S/S	S/S
Inner Material	S/S	Enamel
Timer	120min & Stay on	120min & Stay on
Temperature Range	OFF-250°C	OFF-250°C
Door Handle	S/S Tube OR Aluminum Alloy	S/S Tube OR Aluminum Alloy
Dimensions(mm)	475x510x380	675x580x500
N.W.(KG)	15.5	31.6
Certificate	CE	CE

# Convection Oven



**SCB220**



**CO220L**

Model	SCB220	CO220L
Description	Steam Oven	Convection Oven
Volts	220~240V/50Hz	220~240V/50Hz
Power(W)	2500	2500
Capacity(L)	30	42
Outer Material	S/S	S/S
Inner Material	S/S	S/S
Timer	120min & Stay on	120min & Stay on
Temperature Range	50-220°C	50-250°C
Door Handle	Rotable Door Handle	S/S Tube OR Aluminum Alloy
Dimensions(mm)	390x550x550	420x580x580
N.W.(KG)	19.8	20
Certificate	CE	CE