

Quality Commercial Kitchen Equipment



BERJAYA®

Quality Variety Reliability

2020
Edition

INDEX

Page

- 1 Soup Kettle / Rice Warmer / Rice Cooker / Chafing Dish
- 2 Chafing Dish / Insert Soup Kettle / Vegetable Pan & Cover / Perforated Food Pan
- 3 Decantor / Coffee Warmer / Warmer / Hot Dog Warmer / Deep Fryer / Waffle Baker
- 4 Ice Shaver (Coarse) / Ice Shaving Machine / Commercial Blender / Juice Extractor / Buffet Juice Dispenser / Induction Cooker
- 5 Water Dispenser / Salad Showcase / Sushi Showcase / Display Cooler / Display Warmer / Plate Warmer
- 6 Insect Trap / Insect Killer / Pop Corn Machine / Pre-Rinse Spray Faucet / Vegetable Preparation Machine / Noodle Machine / Sugar Cane Juice Machine
- 7 Spiral Mixer (Manual Control / Digital Control)
- 8 Bakery Mixer without Netting
- 9 Bakery Mixer with Netting
- 10 Electrical Baking Oven
- 11 Gas Heated Baking Oven
- 12 Electrical Baking Oven / Baking Oven + Proofer
- 13 Proofer with Humidifier / Dough Divider / Semi Auto Dough Divider Rounder / Dough Moulder / Dough Sheeter
- 14 Pizza Oven / Toaster / Conveyor Toaster / Bread Slicer / Convection Oven
- 15 Water Boiler / Water Boiler with PU Insulation - Digital Control / Water Urn (Concealed Heated)
- 16 Meat Slicer / Meat Mincer / Feather Removal Machine / Potato & Vegetable Peeler / Bone Saw
- 17 Four Glass Display Chiller / Display Chiller (Piping System & Blower System) / Wine Cooler / Juscool Display Chiller
- 18 Ice Cream Machine / SIMAG Ice Machine / Dish Washing Machine
- 19 Ashtray Bin / Stainless Steel BBQ / Stainless Steel Baby Chair / Stainless Steel Service, Seasoning & Dining Trolley (Knock Down)
- 20 Cutlery Trolley (Knock Down) / Stainless Steel Cooling Rack (Knock Down) / Wire Shelving
- 21 Table and Chair (Stainless Steel / Granite / Fibreglass)



Soup Kettle

Model **BJJ-9SK**
 Capacity (Litres) 9.0
 Voltage / Phase (VPh) 220~240 / 1
 Frequency (Hz) 50 / 60
 Machine Dimension (mm) 360Ø x 370
 Packing Dimension (mm) 380 x 380 x 420
 Weight (Kg) 8.5



Soup Kettle

Model **BJJ-11SK-BK**
 Capacity (Litres) 11
 Voltage / Phase (VPh) 220~240 / 1
 Frequency (Hz) 50 / 60
 Machine Dimension (mm) 315Ø x 355
 Packing Dimension (mm) 350 x 350 x 355
 Weight (Kg) 6

* Stainless Steel Body with Coating Black



Soup Kettle

Model **BJJ-11SK-SS**
 Capacity (Litres) 11
 Voltage / Phase (VPh) 220~240 / 1
 Frequency (Hz) 50 / 60
 Machine Dimension (mm) 315Ø x 355
 Packing Dimension (mm) 350 x 350 x 355
 Weight (Kg) 6

* Stainless Steel Body with Satin Polishing



Commercial Electrical Rice Warmer

Model **BJJ-ERW13**
 Capacity (Litres) 13
 Voltage / Phase (VPh) 220~240 / 1
 Frequency (Hz) 50 / 60
 Machine Dimension (mm) 455Ø x 355
 Packing Dimension (mm) 455 x 455 x 410
 Weight (Kg) 9.5
 Gross Weight (Kg) 12

* Stain with coating



Commercial Electrical Rice Cooker

Model **BJJ-ERC64-N**
 Capacity (Litres) 8.5 (45 persons)
 Voltage / Phase (VPh) 220~240 / 1
 Frequency (Hz) 50 / 60
 Power (W) 2650
 Machine Dimension (mm) 460 x 505 x 380
 Packing Dimension (mm) 490 x 490 x 325
 Weight (Kg) 10.2



Commercial Gas Rice Cooker

Model **BJJ-GRC40**
 Capacity (Litres) 6 (30-40 persons)
 Gas LPG
 Rated Heat (Kw) 5.7
 Rated Gas Pressure (Kpa) 2.8
 Machine Dimension (mm) 460Ø x 420
 Packing Dimension (mm) 485 x 485 x 440
 Weight (Kg) 10.8



Commercial Gas Rice Cooker

Model **BJJ-GRC60**
 Capacity (Litres) 10 (50-60 persons)
 Gas LPG
 Rated Heat (Kw) 8.7
 Rated Gas Pressure (Kpa) 2.8
 Machine Dimension (mm) 550Ø x 450
 Packing Dimension (mm) 515 x 515 x 430
 Weight (Kg) 13.9



Chafing Dish

Model **BJJ-CD**
 Machine Dimension (mm) 575 x 350 x 330
 Packing Dimension (mm) 580 x 360 x 170

*with 1 full size G/N pan



Oblong Round Chafing Dish ~ Full Roll Top Cover

Model **BJJ-RTCD-O**
 Capacity (Litres) 9
 Machine Dimension (mm) 625 x 490 x 400
 Packing Dimension (mm) 730 x 490 x 340



Oblong Round Chafing Dish ~ Full Roll Top Cover With Heater

Model **BJJ-RTCD-O-TH**
 Capacity (Litres) 9
 Machine Dimension (mm) 625 x 490 x 400
 Packing Dimension (mm) 730 x 490 x 340



Round Chafing Dish ~ Full Top Cover

Model **BJJ-RTCD-R**
 Capacity (Litres) 6
 Machine Dimension (mm) 540 x 485 x 490
 Packing Dimension (mm) 530 x 530 x 350



Round Chafing Dish ~ Full Roll Top Cover With Heater

Model **BJJ-RTCD-R-TH**
 Capacity (Litres) 6
 Machine Dimension (mm) 540 x 485 x 490
 Packing Dimension (mm) 530 x 530 x 350



Stainless Steel Chafing Dish With Lid Knob

Model **BJJ-CD35**
Capacity (Litres) 3.5
Machine Dimension (mm) 420 x 340 x 300
Packing Dimension (mm) 360 x 360 x 240



Stainless Steel Chafing Dish With Lid Knob

Model **BJJ-CD50**
Capacity (Litres) 5
Machine Dimension (mm) 420 x 340 x 300
Packing Dimension (mm) 360 x 360 x 260



Stainless Steel Chafing Dish With Lid Knob

Model **BJJ-CD75**
Capacity (Litres) 7.5
Machine Dimension (mm) 420 x 340 x 330
Packing Dimension (mm) 360 x 360 x 280



Stainless Steel Chafing Dish With Lid Knob

Model **BJJ-CD135**
Capacity (Litres) 13.5
Machine Dimension (mm) 420 x 340 x 400
Packing Dimension (mm) 360 x 360 x 370



Stainless Steel Insert Soup Kettle

Model **BJJ-PSK7**
Capacity (Litres) 7
Machine Dimension (mm) 310 x 240 x 340
Packing Dimension (mm) 260 x 260 x 360



Stainless Steel Insert Soup Kettle

Model **BJJ-PSK11**
Capacity (Litres) 11
Machine Dimension (mm) 360 x 290 x 350
Packing Dimension (mm) 300 x 300 x 360



Stainless Steel Vegetable Pan & Cover

Model **BJJ-VIP4**
Capacity (Litres) 4
Pan Dimension (mm) 190 x 190 x 215
Packing Dimension (mm) 390 x 390 x 460
Packing (Pcs) 24

Model **BJJ-VIC4**
Capacity (Litres) -
Pan Dimension (mm) 190 x 190
Packing Dimension (mm) 400 x 210 x 210
Packing (Pcs) 24



Stainless Steel Vegetable Pan & Cover

Model **BJJ-VIP7**
Capacity (Litres) 7
Pan Dimension (mm) 240 x 240 x 215
Packing Dimension (mm) 490 x 490 x 520
Packing (Pcs) 24

Model **BJJ-VIC7**
Capacity (Litres) -
Pan Dimension (mm) 240 x 240
Packing Dimension (mm) 500 x 260 x 210
Packing (Pcs) 24



Stainless Steel Vegetable Pan & Cover

Model **BJJ-VIP11**
Capacity (Litres) 11
Pan Dimension (mm) 290 x 290 x 215
Packing Dimension (mm) 290 x 590 x 530
Packing (Pcs) 24

Model **BJJ-VIC11**
Capacity (Litres) -
Pan Dimension (mm) 290 x 290
Packing Dimension (mm) 600 x 310 x 210
Packing (Pcs) 24



Stainless Steel Perforated Food Pan

Model **BJJ-FP1/1-2**
Pan Dimension (mm) 530 x 325 x 65
Packing (Pcs) 6

Model **BJJ-FP1/2-2**
Pan Dimension (mm) 325 x 264 x 65
Packing (Pcs) 12



Stainless Steel Perforated Food Pan

Model **BJJ-FP1/1-4**
Pan Dimension (mm) 530 x 325 x 100
Packing (Pcs) 6

Model **BJJ-FP1/2-4**
Pan Dimension (mm) 325 x 265 x 100
Packing (Pcs) 12



Stainless Steel Perforated Food Pan

Model **BJJ-FP1/1-6**
Pan Dimension (mm) 530 x 325 x 150
Packing (Pcs) 6

Model **BJJ-FP1/2-6**
Pan Dimension (mm) 325 x 265 x 150
Packing (Pcs) 12



Decantor

Model **DI-N**

*Heating



Coffee Warmer (Cast Iron Heat Board) ~1 Boiler

Model **BJY-CW1**
Voltage / Phase (V/Ph) 220 - 240 / 1
Frequency (Hz) 50 / 60
Wattage (W) 450
Dimension (mm) 223 x 223 x 60

* Without Decantor

*Heating *Warmer



Coffee Warmer (Cast Iron Heated Board)

Model **BJY-CW2**
Voltage / Phase (V/Ph) 220 - 240 / 1
Frequency (Hz) 50 / 60
Wattage (W) 600
Dimension (mm) 446 x 223 x 60

* Without Decantor

*Warmer



Coffee Warmer ~ 2 Warmer

Model **BJY-CW2W**
Rated Input Power (W) 300W
Voltage / Phase (V/Ph) 220 - 240 / 1
Frequency (Hz) 50 / 60
N.W. (Kg) 1.41
G.W. (Kg) 1.66
Overall Dimension (mm) 350 x 170 x 80
Package Dimension (mm) 390 x 200 x 85

* Without Decantor



Warmer

Model **BJY-W77**
Voltage / Phase (V/Ph) 220 - 240 / 1
Frequency (Hz) 50 / 60
Wattage (W) 1200
Dimension (mm) 570 x 370 x 230



Hot Dog Warmer with Cover

Model **BJY-HD07-N**
Roller Number 7
Voltage / Phase (V/Ph) 220 - 240 / 1
Frequency (Hz) 50
Wattage (W) 1580
Machine Dimension (mm) 590 x 330 x 260
Packing Dimension (mm) 620 x 390 x 460
Weight (Kg) 15

Electrical Deep Fryer ~3.0L

Model **BJY-EDF4-A**
Voltage / Phase (V/Ph) 220 - 240 / 1
Frequency (Hz) 50 / 60
Wattage (W) 1830 - 2180
Current (A) 10A
Capacity (Litres) 3L
Temperature (Adjustable) 130 ~ 190°C
Net Weight (Kg) 2.3
Gross Weight (kg) 2.9
Machine Dimension (mm) 400 x 214 x 260
Packing Dimension (mm) 423 x 230 x 277



Electrical Double Deep Fryer ~ 3.0L x 2

Model **BJY-EDDF35-A**
Voltage / Phase (V/Ph) 220 - 240 / 1
Frequency (Hz) 50 / 60
Wattage (W) 1650 - 1960
Current (A) 16A
Capacity (Litres) 3L x 2
Temperature (Adjustable) 130 ~ 190°C
Net Weight (Kg) 4.7
Gross Weight (kg) 5.5
Machine Dimension (mm) 400 x 405 x 260
Packing Dimension (mm) 426 x 416 x 276



Stainless Steel Gas Deep Fryer Single

Model **BJY-GDF55-1B**
Product Dimension (mm) 300 x 510 x 470
Packing Dimension (mm) 570 x 370 x 600
Basket Dimension (mm) 220 x 195 x 120
Weight (kg) 9.5
Thawad Chips
Production (kg / hr) 5 - 8
Packing Volume (m3) 0.13
Rate of gas flow 0.1m3/h
Gas Consumption 19MJ



Stainless Steel Gas Deep Fryer Double

Model **BJY-GDF55-2B**
Product Dimension (mm) 580 x 510 x 470
Packing Dimension (mm) 660 x 560 x 600
Basket Dimension (mm) 220 x 195 x 120
Weight (kg) 14.5
Thawad Chips
Production (kg / hr) 5 - 8 * 2
Packing Volume (m3) 0.23
Rate of gas flow 0.21m3/h
Gas Consumption 38MJ



Waffle Baker ~ 1 Head

Model **BJY-WB1-N**
Temperature (°C) 50-300
Wattage (W) 1000
Voltage / Phase (V/Ph) 220-240 / 1
Frequency (Hz) 50 / 60
Machine Dimension (mm) 260 x 252 x 240
Packing Dimension (mm) 400 x 300 x 270
Weight (Kg) 7.4



Waffle Baker ~ 2 Heads

Model **BJY-WB2-N**
Temperature (°C) 50-300
Wattage (W) 2000
Voltage / Phase (V/Ph) 220-240 / 1
Frequency (Hz) 50 / 60
Machine Dimension (mm) 500 x 360 x 240
Packing Dimension (mm) 550 x 410 x 270
Weight (Kg) 15



Ice Shaver (Coarse) c/w Ice Tray

Model	BJY-ISC7A
Extraction Capacity (Kg/hr)	7
Speed (R/min)	3000
Wattage (W)	250
Voltage / Phase (V/Ph)	220-240 / 1
Frequency (Hz)	50
Machine Dimension (mm)	420 x 175 x 270
Packing Dimension (mm)	470 x 250 x 310
Weight (Kg)	10.2



Ice Shaving Machine

Model	BJY-IS 18
Extraction Capacity (Kg/hr)	18
Speed (R/min)	1400
Wattage (W)	250
Voltage / Phase (V/Ph)	220-240 / 1
Frequency (Hz)	50
Machine Dimension (mm)	350 x 290 x 430
Packing Dimension (mm)	420 x 340 x 900
Weight (Kg)	20



Commercial Blender ~Without Cover

Model	BJY-CB2L-A
Capacity-Gross (Kg/hr)	2L
Rotation Rate (rpm)	40,000
Voltage / Phase (V/Ph)	220-240 / 1
Frequency (Hz)	50
Wattage (W)	1800
Net weight (kg)	4.65
Gross Weight (kg)	4.90
Machine Dimension (mm)	190 x 220 x 480
Packing Dimension (mm)	308 x 255 x 355

Model	BJY-CB2L60-A
Capacity-Gross (Kg/hr)	2L
Rotation Rate (rpm)	40,000
Voltage / Phase (V/Ph)	220-240 / 1
Frequency (Hz)	60
Wattage (W)	1800
Net weight (kg)	4.65
Gross Weight (kg)	4.90
Machine Dimension (mm)	190 x 220 x 480
Packing Dimension (mm)	308 x 255 x 355



Commercial Blender ~With Cover

Model	BJY-CB2SC-A
Capacity-Gross (Kg/hr)	2L
Rotation Rate (rpm)	25,000-28,000
Voltage / Phase (V/Ph)	220-240 / 1
Frequency (Hz)	50
Wattage (W)	1500
Net weight (kg)	9
Gross Weight (kg)	9.8
Machine Dimension (mm)	235 x 270 x 520
Packing Dimension (mm)	365 x 305 x 595

Model	BJY-CB2SC60-A
Capacity-Gross (Kg/hr)	2L
Rotation Rate (rpm)	25,000-28,000
Voltage / Phase (V/Ph)	220-240 / 1
Frequency (Hz)	60
Wattage (W)	1500
Net weight (kg)	9
Gross Weight (kg)	9.8
Machine Dimension (mm)	235 x 270 x 520
Packing Dimension (mm)	365 x 305 x 595



Juice Extractor with Pulp Container ~ 65kg

Model	BJY-JE65C
Extraction Capacity (Kg/hr)	65
Speed (R/min)	4300
Voltage / Frequency (V/Hz)	220-240 / 50
Wattage (W)	180
Machine Dimension (mm)	358 x 220 x 300
Packing Dimension (mm)	425 x 335 x 275
Weight (Kg)	7

Model	BJY-JE65C60
Extraction Capacity (Kg/hr)	65
Speed (R/min)	4300
Voltage / Frequency (V/Hz)	220-240 / 60
Wattage (W)	180
Machine Dimension (mm)	358 x 220 x 300
Packing Dimension (mm)	425 x 335 x 275
Weight (Kg)	7



I/BSP-BJD1
(1 Tank)



I/BSP-BJD2
(2 Tanks)

Buffet Juice Dispenser

Model	BJY-BJD1
Capacity (Litres)	8
Machine Dimension (mm)	270 x 360 x 590
Packing Dimension (mm)	580 x 360 x 590
Weight (Kg)	7.6

Model	BJY-BJD2
Capacity (Litres)	2 x 8
Machine Dimension (mm)	580 x 360 x 590
Packing Dimension (mm)	600 x 370 x 610
Weight (Kg)	15.2



Induction Cooker

Model	BJY-IC-3.5KW
Machine Dimension (mm)	340 x 440 x 117
Packing Dimension (mm)	420 x 510 x 160
Voltage	220-240
Frequency (Hz)	50 / 60
Wattage (W)	3500
Current (A)	15
Net Weight (Kg)	7



Water Dispenser

Model	Hot & Cold BJY-YLR600A	Cold BJY-CWD6.6L
Capacity		
: Hot water tank (Litres)	4	-
: Cold water tank (Litres)	4	6.6
Heating Water Capacity	10L/h (85°C~95°C)	-
Cooling Water Capacity	8L/h (7°C~12°C)	8L/h (5°C~10°C)
Voltage / Phase (V/Ph)	220 - 240 / 1	220~240 / 1
Frequency (Hz)	50	50
Wattage (W)	1000	300
Degree of Protection	IPX3	IPX3
Pressure of Water Supply	100 - 400kpa	100 - 400kpa
Machine Dimension (mm)	410 x 300 x 1250	350 x 420 x 1110
Packing Dimension (mm)	490 x 370 x 1150	480 x 370 x 1150
Weight (Kg)	26	26

* BJI-YLR600A - Hot water, Cold water, Warm water
- It can remove the impurity, special smell chemical, virus, etc and make the water pure



Salad Showcase



Sushi Showcase

Showcase

Model	Salad Showcase		Sushi Showcase	
	BJY-SALAD1200	BJY-SUSHI42L	BJY-SUSHI132	
Temperature °C (Celsius)	+2 to +10	0 to +12	0 to +12	
External Dimension (mm)	1200 x 335 x 225	1177 x 420 x 265	1800 x 420 x 265	
Packing Dimension (mm)	1275 x 410 x 330	1267 x 510 x 360	1800 x 510 x 360	
Capacity (L)	5 x 1/4 GN	4 x 1/3 GN	5 x 1/2 GN	
Refrigerant	R134a	R134a	R134a	
Voltage / Frequency (V / Hz)	220~240 / 50	220~240 / 50	220~240 / 50	
Wattage (W)	140	180	140	
Ampere (A)	1.1	1.3	1.1	
Net Weight (kg)	35	34.5	45	



Display Cooler



Display Warmer


Model	Display Cooler		Display Warmer	
	BJY-DC-120L	BJY-DC-160L	BJY-PW-120L	BJY-PW-160L
Temperature °C (Celsius)	0 to +12	0 to +12	30 to 90	30 to 90
External Dimension (mm)	696 x 568 x 686	874 x 568 x 686	678 x 568 x 670	857 x 568 x 670
Packing Dimension (mm)	773 x 627 x 735	951 x 627 x 735	749 x 627 x 731	928 x 627 x 731
Capacity (L)	120	160	120	160
Refrigerant	R134a	R134a	-	-
Voltage / Frequency (V / Hz)	220~240 / 50	220~240 / 50	220~240 / 50	220~240 / 50
Wattage (W)	230	230	1100	1500
Ampere (A)	1.5	1.5	4.75	6.30
Net Weight (kg)	64	71	48	56

* Display Cooler - Double glass without heated



Electrical Plate Warmer

Model	1 Head	2 Heads
	BJY-EDW1	BJY-EDW2
Dish Size (mm)	240 to 310	240 to 310
No. of Plate (pcs)	30	60
Wattage (W)	450	900
Voltage / Phase (V/Ph)	220~240 / 1	220~240 / 1
Frequency (Hz)	50 / 60	50 / 60
Machine Dimension (mm)	450 x 450 x 930	880 x 450 x 930
Packing Dimension (mm)	610 x 540 x 1180	1145 x 540 x 1180
Weight (Kg)	48	78



Insect Trap with Cover

Model	BJJ-IT-18C
Voltage / Phase (V/Ph)	220 - 240V / 1
Frequency (Hz)	50
Wattage (W)	18
Coverage Area (Meters)	40
Machine Dimension (mm)	360 x 190 x 155
Package Dimension (mm)	400 x 210 x 200
N.W. (Kg)	3.0
G.W. (Kg)	3.5


Model	BJJ-IT-36C
Voltage / Phase (V/Ph)	220 - 240V / 1
Frequency	50
Wattage (W)	36
Coverage Area (Meters)	60
Machine Dimension (mm)	590 x 190 x 155
Package Dimension (mm)	650 x 225 x 230
N.W. (Kg)	4.5
G.W. (Kg)	5.5



Insect Trap


Model	BJJ-IT-18A
Voltage / Phase (V/Ph)	220 - 240V / 1
Frequency (Hz)	50
Wattage (W)	18
Coverage Area (Meters)	40
Machine Dimension (mm)	458 x 118 x 148
Package Dimension (mm)	510 x 230 x 215
N.W. (Kg)	2.5
G.W. (Kg)	3.0

Model	BJJ-IT-36A
Voltage / Phase (V/Ph)	220 - 240V / 1
Frequency	50
Wattage (W)	36
Coverage Area (Meters)	60
Machine Dimension (mm)	692 x 193 x 142
Package Dimension (mm)	760 x 235 x 215
N.W. (Kg)	4.0
G.W. (Kg)	4.5



Insect Killer

Model	BJJ-IK30A
Description	Insect Killer
Voltage / Phase (V/Ph)	220 - 240V / 1
Frequency	50Hz
Fluorescent Lamp (W)	15w
Coverage Area (Meters)	80m ²
Machine Dimension (mm)	475 x 105 x 325
Package Dimension (mm)	505 x 120 x 335
N.W. (Kg)	2.1
G.W. (Kg)	2.2



Insect Killer

Model	BJJ-IK40A
Description	Insect Killer
Voltage / Phase (V/Ph)	220 - 240V / 1
Frequency	50Hz
Fluorescent Lamp (W)	20w
Coverage Area (Meters)	100m ²
Machine Dimension (mm)	650 x 105 x 365
Package Dimension (mm)	655 x 120 x 390
N.W. (Kg)	2.4
G.W. (Kg)	2.5



Pop Corn Machine

Model	BJJ-PC80Z
Voltage/Phase (V/Ph)	220 - 240V / 1
Frequency (Hz)	50 / 60
Wattage (W)	1300
Machine Dimension (mm)	560 x 420 x 680
Packing Dimension (mm)	640 x 500 x 780
Weight (Kg)	21

- * Tempered glass for safety
- * Individual switch control
- * Infra-red lamp
- * Easy to remove drip pan



Pre-Rinse Spray Faucet

Model	BJJ-PRS
Material	Brass (Plastic)
Packing Dimension (mm)	681 x 300 x 94
Weight (Kg)	5.45



Vegetable Preparation Machine

Model	BJJ-VPM
Wattage (W)	550
Voltage / Phase (V/Ph)	220 - 240V / 1
Frequency (Hz)	50
Machine Dimension (mm)	595 x 250 x 570
Packing Dimension (mm)	580 x 300 x 540
Weight (Kg)	26



Noodle Machine

Model	BJJ-NM26
Wattage (kw)	1.1
Voltage / Phase (V/Ph)	220 - 240V / 1
Frequency (Hz)	50
Machine Dimension (mm)	470 x 420 x 855
Packing Dimension (mm)	500 x 450 x 980
Weight (Kg)	86

Model	BJJ-NM32
Wattage (kw)	1.5
Voltage / Phase (V/Ph)	220 - 240V / 1
Frequency (Hz)	50
Machine Dimension (mm)	510 x 410 x 855
Packing Dimension (mm)	540 x 450 x 980
Weight (Kg)	94



Sugar Cane Juice Machine ~ Free Standing

Model	BJJ-SCJM-FS
Power (kw)	0.37
Voltage / Phase (V/Ph)	220 - 240V / 1
Frequency (Hz)	50
Working Capacity (kg / h)	300
Roller Speed (r / min)	20
Waterproof Grade	TP x 3
Machine Dimension (mm)	460 x 360 x 1000
Packing Dimension (mm)	540 x 440 x 920
Weight (Kg)	95



Sugar Cane Juice Machine ~ Table Top

Model	BJJ-SCJM-TT
Power (kw)	0.37
Voltage / Phase (V/Ph)	220 - 240V / 1
Frequency (Hz)	50
Working Capacity (kg / h)	300
Roller Speed (r / min)	20
Waterproof Grade	TP x 3
Machine Dimension (mm)	405 x 305 x 565
Packing Dimension (mm)	540 x 430 x 670
Weight (Kg)	71.5



Spiral Mixer ~ 1 Speed (Manual Control)

Model	BJY-SM30M
Bowl Capacity (Litres)	28
Voltage/Phase (V/Ph)	220-240 / 1
Frequency (Hz)	50
Input Power (W)	1700
Mixing Speed (R/min)	230
Bowl Speed (R/min)	20
Max Dough Capacity (Kg)	12.5*
Machine Dimension (mm)	730 x 450 x 850
Packing Dimension (mm)	920 x 560 x 1030
Weight (Kg)	167

Model	BJY-SM30M60
Bowl Capacity (Litres)	28
Voltage/Phase (V/Ph)	220-240 / 1
Frequency (Hz)	60
Input Power (W)	1700
Mixing Speed (R/min)	230
Bowl Speed (R/min)	20
Max Dough Capacity (Kg)	12.5*
Machine Dimension (mm)	730 x 450 x 850
Packing Dimension (mm)	920 x 560 x 1030
Weight (Kg)	167

* 12.5kg Max Dough Capacity means maximum weight after flour pre-mixed with 50% of water.



Spiral Mixer ~ 2 Speed (Manual Control)

Model	BJY-SM40M
Bowl Capacity (Litres)	45
Voltage/Phase (V/Ph)	380-415 / 3
Frequency (Hz)	50
Input Power (W)	1200 / 1800
Mixing Speed (R/min)	240 / 120
Bowl Speed (R/min)	24/12
Max Dough Capacity (Kg)	20*
Machine Dimension (mm)	900 x 500 x 1200
Packing Dimension (mm)	1010 x 580 x 1300
Weight (Kg)	256

Model	BJY-SM40M60
Bowl Capacity (Litres)	45
Voltage/Phase (V/Ph)	380-415 / 3
Frequency (Hz)	60
Input Power (W)	1200 / 1800
Mixing Speed (R/min)	240 / 120
Bowl Speed (R/min)	24/12
Max Dough Capacity (Kg)	20*
Machine Dimension (mm)	900 x 500 x 1200
Packing Dimension (mm)	1010 x 580 x 1300
Weight (Kg)	256

* 20kg Max Dough Capacity means maximum weight after flour pre-mixed with 50% of water.



Spiral Mixer ~ 2 Speed (Manual Control)

Model	BJY-SM50M
Bowl Capacity (Litres)	66
Voltage/Phase (V/Ph)	380-415 / 3
Frequency (Hz)	50
Input Power (W)	2800 / 3600
Mixing Speed (R/min)	240 / 120
Bowl Speed (R/min)	24/12
Max Dough Capacity (Kg)	25*
Machine Dimension (mm)	1000 x 600 x 1230
Packing Dimension (mm)	1120 x 710 x 1500
Weight (Kg)	275

Model	BJY-SM50M60
Bowl Capacity (Litres)	66
Voltage/Phase (V/Ph)	380-415 / 3
Frequency (Hz)	60
Input Power (W)	2800 / 3600
Mixing Speed (R/min)	240 / 120
Bowl Speed (R/min)	24/12
Max Dough Capacity (Kg)	25*
Machine Dimension (mm)	1000 x 600 x 1230
Packing Dimension (mm)	1120 x 710 x 1500
Weight (Kg)	275

* 25kg Max Dough Capacity means maximum weight after flour pre-mixed with 50% of water.



Spiral Mixer ~ 2 Speed (Digital Control)

Model	BJY-SM30D
Bowl Capacity (Litres)	28
Voltage/Phase (V/Ph)	380-415 / 3
Frequency (Hz)	50
Input Power (W)	1300/1700
Mixing Speed (R/min)	230/150
Bowl Speed (R/min)	20/13
Max Dough Capacity (Kg)	12.5*
Machine Dimension (mm)	850 x 430 x 940
Packing Dimension (mm)	910 x 550 x 1040
Weight (Kg)	167

Model	BJY-SM40D
Bowl Capacity (Litres)	45
Voltage/Phase (V/Ph)	380-415 / 3
Frequency (Hz)	50
Input Power (W)	1200/1800
Mixing Speed (R/min)	240/120
Bowl Speed (R/min)	24/12
Max Dough Capacity (Kg)	20*
Machine Dimension (mm)	930 x 490 x 1160
Packing Dimension (mm)	1110 x 590 x 1290
Weight (Kg)	256

* 12.5kg Max Dough Capacity means maximum weight after flour pre-mixed with 50% of water.

* 20kg Max Dough Capacity means maximum weight after flour pre-mixed with 50% of water.



Spiral Mixer ~ 2 Speed (Digital Control)

Model	BJY-SM50D
Bowl Capacity (Litres)	66
Voltage/Phase (V/Ph)	380-415 / 3
Frequency (Hz)	50
Input Power (W)	2800/3600
Mixing Speed (R/min)	240/120
Bowl Speed (R/min)	24/12
Max Dough Capacity (Kg)	25*
Machine Dimension (mm)	1020 x 590 x 1170
Packing Dimension (mm)	1110 x 640 x 1290
Weight (Kg)	275

* 25kg Max Dough Capacity means maximum weight after flour pre-mixed with 50% of water.



Bakery Mixer 5 litre without Netting

Model **BJY-BM5-B**
 Bowl Capacity (Litres) 5.5
 Voltage/Phase (V/Ph) 220-240 / 1
 Frequency (Hz) 50 / 60
 Input Power (W) 300
 Speed (R/min) (Whisk) 852 (Beater) 131
 Max Dough Capacity (Kg) 0.5*
 Machine Dimension (mm) 350 x 230 x 400
 Packing Dimension (mm) 420 x 300 x 480
 Weight (Kg) 24

* 0.5kg Max Dough Capacity means maximum weight after flour pre-mixed with 50% of water.



Bakery Mixer 7 litre without Netting

Model **BJY-BM7-B**
 Bowl Capacity (Litres) 7.5
 Voltage/Phase (V/Ph) 220-240 / 1
 Frequency (Hz) 50 / 60
 Input Power (W) 325
 Speed (R/min) (Whisk) 917 (Beater) 147
 Max Dough Capacity (Kg) 0.5*
 Machine Dimension (mm) 400 x 250 x 410
 Packing Dimension (mm) 480 x 300 x 500
 Weight (Kg) 29

* 0.5kg Max Dough Capacity means maximum weight after flour pre-mixed with 50% of water.



Bakery Mixer 10 litre without Netting

Model **BJY-BM10**
 Bowl Capacity (Litres) 10
 Voltage/Phase (V/Ph) 220-240 / 1
 Frequency (Hz) 50
 Input Power (W) 600
 Speed (R/min) (Whisk) 480 (Beater) 244 (Hook) 148
 Max Dough Capacity (Kg) 2.5*
 Machine Dimension (mm) 430 x 420 x 690
 Packing Dimension (mm) 540 x 450 x 850
 Weight (Kg) 42

* 2.5kg Max Dough Capacity means maximum weight after flour pre-mixed with 50% of water.

Model **BJY-BM10-60**
 Bowl Capacity (Litres) 10
 Voltage/Phase (V/Ph) 220-240 / 1
 Frequency (Hz) 60
 Input Power (W) 600
 Speed (R/min) (Whisk) 508 (Beater) 258 (Hook) 156
 Max Dough Capacity (Kg) 2.5*
 Machine Dimension (mm) 430 x 420 x 690
 Packing Dimension (mm) 540 x 450 x 850
 Weight (Kg) 42



Bakery Mixer 20 litre without Netting

Model **BJY-BM20**
 Bowl Capacity (Litres) 20
 Voltage/Phase (V/Ph) 220-240 / 1
 Frequency (Hz) 50
 Input Power (W) 1100
 Speed (R/min) (Whisk) 462 (Beater) 317 (Hook) 197
 Max Dough Capacity (Kg) 5*
 Machine Dimension (mm) 530 x 460 x 880
 Packing Dimension (mm) 610 x 500 x 1030
 Weight (Kg) 68

* 5kg Max Dough Capacity means maximum weight after flour pre-mixed with 50% of water.

Model **BJY-BM20-60**
 Bowl Capacity (Litres) 20
 Voltage/Phase (V/Ph) 220-240 / 1
 Frequency (Hz) 60
 Input Power (W) 1100
 Speed (R/min) (Whisk) 548 (Beater) 376 (Hook) 208
 Max Dough Capacity (Kg) 5*
 Machine Dimension (mm) 530 x 460 x 880
 Packing Dimension (mm) 610 x 500 x 1030
 Weight (Kg) 68



Bakery Mixer 30 litre without Netting

Model **BJY-BM30**
 Bowl Capacity (Litres) 28
 Voltage/Phase (V/Ph) 220-240 / 1
 Frequency (Hz) 50
 Input Power (W) 1500
 Speed (R/min) (Whisk) 462 (Beater) 317 (Hook) 197
 Max Dough Capacity (Kg) 6*
 Machine Dimension (mm) 550 x 450 x 880
 Packing Dimension (mm) 640 x 550 x 1030
 Weight (Kg) 70

* 6kg Max Dough Capacity means maximum weight after flour pre-mixed with 50% of water.

Model **BJY-BM30-60**
 Bowl Capacity (Litres) 28
 Voltage/Phase (V/Ph) 220-240 / 1
 Frequency (Hz) 60
 Input Power (W) 1500
 Speed (R/min) (Whisk) 548 (Beater) 376 (Hook) 208
 Max Dough Capacity (Kg) 6*
 Machine Dimension (mm) 550 x 450 x 880
 Packing Dimension (mm) 640 x 550 x 1030
 Weight (Kg) 70



Bakery Mixer 40 litre without Netting

Model **BJY-BM40**
 Bowl Capacity (Litres) 38
 Voltage/Phase (V/Ph) 220-240 / 1
 Frequency (Hz) 50
 Input Power (W) 2100
 Speed (R/min) (Whisk) 483 (Beater) 165 (Hook) 106
 Max Dough Capacity (Kg) 8*
 Machine Dimension (mm) 640 x 620 x 1040
 Packing Dimension (mm) 830 x 730 x 1280
 Weight (Kg) 160

* 8kg Max Dough Capacity means maximum weight after flour pre-mixed with 50% of water.

Model **BJY-BM40-60**
 Bowl Capacity (Litres) 38
 Voltage/Phase (V/Ph) 220-240 / 1
 Frequency (Hz) 60
 Input Power (W) 2100
 Speed (R/min) (Whisk) 580 (Beater) 198 (Hook) 127
 Max Dough Capacity (Kg) 8*
 Machine Dimension (mm) 640 x 620 x 1040
 Packing Dimension (mm) 830 x 730 x 1280
 Weight (Kg) 160



Bakery Mixer 5 litre with Netting

Model	BJY-BM5N-B
Bowl Capacity (Litres)	5.5
Voltage/Phase (V/Ph)	220-240 / 1
Frequency (Hz)	50 / 60
Input Power (W)	300
Speed (R/min)	(Whisk) 852 (Beater) 131
Max Dough Capacity (Kg)	0.5*
Machine Dimension (mm)	350 x 230 x 400
Packing Dimension (mm)	420 x 300 x 480
Weight (Kg)	24

* 0.5kg Max Dough Capacity means maximum weight after flour pre-mixed with 50% of water.



Bakery Mixer 7 litre with Netting

Model	BJY-BM7N-B
Bowl Capacity (Litres)	7.5
Voltage/Phase (V/Ph)	220-240 / 1
Frequency (Hz)	50 / 60
Input Power (W)	325
Speed (R/min)	(Whisk) 917 (Beater) 147
Max Dough Capacity (Kg)	0.5*
Machine Dimension (mm)	400 x 250 x 410
Packing Dimension (mm)	480 x 300 x 500
Weight (Kg)	29

* 0.5kg Max Dough Capacity means maximum weight after flour pre-mixed with 50% of water.



Bakery Mixer 10 litre with Netting

Model	BJY-BM10N	Model	BJY-BM10N-60
Bowl Capacity (Litres)	10	Bowl Capacity (Litres)	10
Voltage/Phase (V/Ph)	220-240 / 1	Voltage/Phase (V/Ph)	220-240 / 1
Frequency (Hz)	50	Frequency (Hz)	60
Input Power (W)	600	Input Power (W)	600
Speed (R/min)	(Whisk) 480 (Beater) 244 (Hook) 148	Speed (R/min)	(Whisk) 508 (Beater) 258 (Hook) 156
Max Dough Capacity (Kg)	2.5*	Max Dough Capacity (Kg)	2.5*
Machine Dimension (mm)	430 x 420 x 690	Machine Dimension (mm)	430 x 420 x 690
Packing Dimension (mm)	540 x 450 x 850	Packing Dimension (mm)	540 x 450 x 850
Weight (Kg)	42	Weight (Kg)	42

* 2.5kg Max Dough Capacity means maximum weight after flour pre-mixed with 50% of water.



Bakery Mixer 20 litre with Netting

Model	BJY-BM20N	Model	BJY-BM20N60
Bowl Capacity (Litres)	20	Bowl Capacity (Litres)	20
Voltage/Phase (V/Ph)	220-240 / 1	Voltage/Phase (V/Ph)	220-240 / 1
Frequency (Hz)	50	Frequency (Hz)	60
Input Power (W)	1100	Input Power (W)	1100
Speed (R/min)	(Whisk) 462 (Beater) 317 (Hook) 197	Speed (R/min)	(Whisk) 548 (Beater) 376 (Hook) 208
Max Dough Capacity (Kg)	5*	Max Dough Capacity (Kg)	5*
Machine Dimension (mm)	530 x 460 x 880	Machine Dimension (mm)	530 x 460 x 880
Packing Dimension (mm)	610 x 500 x 1030	Packing Dimension (mm)	610 x 500 x 1030
Weight (Kg)	68	Weight (Kg)	68

* 5kg Max Dough Capacity means maximum weight after flour pre-mixed with 50% of water.



Bakery Mixer 30 litre with Netting

Model	BJY-BM30N	Model	BJY-BM30N-60
Bowl Capacity (Litres)	28	Bowl Capacity (Litres)	28
Voltage/Phase (V/Ph)	220-240 / 1	Voltage/Phase (V/Ph)	220-240 / 1
Frequency (Hz)	50	Frequency (Hz)	60
Input Power (W)	1500	Input Power (W)	1500
Speed (R/min)	(Whisk) 462 (Beater) 317 (Hook) 197	Speed (R/min)	(Whisk) 548 (Beater) 376 (Hook) 208
Max Dough Capacity (Kg)	6*	Max Dough Capacity (Kg)	6*
Machine Dimension (mm)	550 x 450 x 880	Machine Dimension (mm)	550 x 450 x 880
Packing Dimension (mm)	640 x 550 x 1030	Packing Dimension (mm)	640 x 550 x 1030
Weight (Kg)	70	Weight (Kg)	70

* 6kg Max Dough Capacity means maximum weight after flour pre-mixed with 50% of water.



Bakery Mixer 40 litre with Netting

Model	BJY-BM40N	Model	BJY-BM40N60
Bowl Capacity (Litres)	38	Bowl Capacity (Litres)	38
Voltage/Phase (V/Ph)	220-240 / 1	Voltage/Phase (V/Ph)	220-240 / 1
Frequency (Hz)	50	Frequency (Hz)	60
Input Power (W)	2100	Input Power (W)	2100
Speed (R/min)	(Whisk) 483 (Beater) 165 (Hook) 106	Speed (R/min)	(Whisk) 580 (Beater) 198 (Hook) 127
Max Dough Capacity (Kg)	8*	Max Dough Capacity (Kg)	8*
Machine Dimension (mm)	640 x 620 x 1040	Machine Dimension (mm)	640 x 620 x 1040
Packing Dimension (mm)	830 x 730 x 1280	Packing Dimension (mm)	830 x 730 x 1280
Weight (Kg)	160	Weight (Kg)	160

* 8kg Max Dough Capacity means maximum weight after flour pre-mixed with 50% of water.



Bakery Mixer 60 litre with Netting

Model	BJY-BM60N
Bowl Capacity (Litres)	60
Voltage/Phase (V/Ph)	380-415 / 3
Frequency (Hz)	50
Input Power (W)	2300
Speed (R/min)	(Whisk) 458 (Beater) 221 (Hook) 114
Max Dough Capacity (Kg)	25*
Machine Dimension (mm)	910 x 740 x 1600
Packing Dimension (mm)	1050 x 820 x 1800
Weight (Kg)	363

* 25kg Max Dough Capacity means maximum weight after flour pre-mixed with 50% of water.

Electrical Baking Oven
~ 1 Deck



Model	BJJ-E3KW-1BD
Capacity (Kg/hr)	10
Temperature range (°C)	20 - 300°C
Rated Input Power (W)	3000
Voltage (V)	220 - 240V / 1
Frequency (Hz)	50 / 60
No. of Baking Tray	1
Weight (kg)	41
Inner Dimension / Deck (mm)	650 x 530 x 180
Machine Dimension (mm)	920 x 700 x 410
Packing Dimension (mm)	980 x 740 x 450

Electrical Baking Oven
~ 1 Deck



Model	BJJ-E3KW-1PRM
Capacity (Kg/hr)	10
Temperature range (°C)	20 - 400°C
Rated Input Power (W)	3000
Voltage (V)	220 - 240V / 1
Frequency (Hz)	50 / 60
No. of Baking Tray	1
Weight (kg)	45
Inner Dimension / Deck (mm)	670 x 470 x 180
Machine Dimension (mm)	990 x 660 x 435
Packing Dimension (mm)	1060 x 700 x 490

Electrical Baking Oven
~ 1 Deck



Model	BJJ-E6KW-1BD
Capacity (Kg/hr)	20
Temperature range (°C)	20 - 300°C
Rated Input Power (W)	6600
Voltage (V)	220 - 240V / 1
Frequency (Hz)	50 / 60
No. of Baking Tray	2
Weight (kg)	85
Inner Dimension / Deck (mm)	870 x 670 x 200
Machine Dimension (mm)	1250 x 845 x 615
Packing Dimension (mm)	1310 x 905 x 655

* Isolator 35A/1 phase required

Electrical Baking Oven
~ 1 Deck



Model	BJJ-E6KW-1PRM
Capacity (Kg/hr)	20
Temperature range (°C)	20 - 400°C
Rated Input Power (W)	6600
Voltage (V)	220 - 240V / 1
Frequency (Hz)	50 / 60
No. of Baking Tray	2
Weight (kg)	78
Inner Dimension / Deck (mm)	870 x 670 x 220
Machine Dimension (mm)	1280 x 875 x 575
Packing Dimension (mm)	1360 x 910 x 560

* Isolator 35A/1 phase required

Electrical Baking Oven
~ 2 Deck



Model	BJJ-E13KW-2BD
Capacity (Kg/hr)	40
Temperature range (°C)	20 - 300°C
Rated Input Power (W)	13200
Voltage (V)	380 - 415V / 3
Frequency (Hz)	50 / 60
No. of Baking Tray	4
Weight (kg)	150
Inner Dimension / Deck (mm)	870 x 670 x 200
Machine Dimension (mm)	1250 x 845 x 1200
Packing Dimension (mm)	1310 x 905 x 1260

Electrical Baking Oven
~ 2 Deck



Model	BJJ-E13KW-2PRM
Capacity (Kg/hr)	40
Temperature range (°C)	20 - 400°C
Rated Input Power (W)	13200
Voltage (V)	380 - 415V / 3
Frequency (Hz)	50 / 60
No. of Baking Tray	4
Weight (kg)	149
Inner Dimension / Deck (mm)	870 x 670 x 220
Machine Dimension (mm)	1280 x 875 x 1245
Packing Dimension (mm)	1360 x 910 x 1310

Electrical Baking Oven
~ 3 Deck



Model	BJJ-E20KW-3BD
Capacity (Kg/hr)	60
Temperature range (°C)	20 - 300°C
Rated Input Power (W)	19800
Voltage (V)	380 - 415V / 3
Frequency (Hz)	50 / 60
No. of Baking Tray	6
Weight (kg)	200
Inner Dimension / Deck (mm)	870 x 670 x 200
Machine Dimension (mm)	1250 x 845 x 1615
Packing Dimension (mm)	1310 x 905 x 1655

Electrical Baking Oven
~ 3 Deck



Model	BJJ-E20KW-3PRM
Capacity (Kg/hr)	60
Temperature range (°C)	20 - 400°C
Rated Input Power (W)	19800
Voltage (V)	380 - 415V / 3
Frequency (Hz)	50 / 60
No. of Baking Tray	6
Weight (kg)	200
Inner Dimension / Deck (mm)	870 x 670 x 220
Machine Dimension (mm)	1280 x 875 x 1640
Packing Dimension (mm)	1360 x 910 x 1670

Electrical Baking Oven
~ 3 Deck



Model	BJJ-E25KW-3BD
Capacity (Kg/hr)	90
Temperature range (°C)	20 - 300°C
Rated Input Power (W)	25200
Voltage (V)	380 - 415V / 3
Frequency (Hz)	50 / 60
No. of Baking Tray	9
Weight (kg)	280
Inner Dimension / Deck (mm)	1290 x 670 x 200
Machine Dimension (mm)	1670 x 845 x 1640
Packing Dimension (mm)	1730 x 905 x 1680

Electrical Baking Oven
~ 3 Deck



Model	BJJ-E25KW-3PRM
Capacity (Kg/hr)	90
Temperature range (°C)	20 - 400°C
Rated Input Power (W)	24000
Voltage (V)	380 - 415V / 3
Frequency (Hz)	50 / 60
No. of Baking Tray	9
Weight (kg)	275
Inner Dimension / Deck (mm)	1290 x 670 x 220
Machine Dimension (mm)	1700 x 875 x 1640
Packing Dimension (mm)	1780 x 910 x 1650



Gas Heated Baking Oven ~ 1 Deck

Model **BJJ-G30-1BD**

Capacity (Kg/hr)	10
Thermal Load (MJ/h)	40
Pressure (kpa)	2.8
Gas Consumption (kg/h)	0.24
Voltage (V)	220 - 240 / 1
Frequency (Hz)	50 / 60
Wattage (W)	48
Thermostat (°C)	20 - 300°C
No. of Baking Tray	1
Weight (kg)	70
Inner Dimension / Deck (mm)	650 x 570 x 180
Machine Dimension (mm)	1000 x 740 x 550
Packing Dimension (mm)	1060 x 800 x 590



Gas Heated Baking Oven ~ 1 Deck

Model **BJJ-G30-1PRM**

Capacity (Kg/hr)	10
Thermal Load (MJ/h)	16
Pressure (kpa)	2.8
Gas Consumption (kg/h)	0.2
Voltage (V)	220 - 240 / 1
Frequency (Hz)	50 / 60
Wattage (W)	100
Thermostat (°C)	20 - 400°C
No. of Baking Tray	1
Weight (kg)	85
Inner Dimension / Deck (mm)	670 x 470 x 180
Machine Dimension (mm)	1030 x 650 x 530
Packing Dimension (mm)	1110 x 700 x 530



Gas Heated Baking Oven ~ 1 Deck

Model **BJJ-G60-1BD**

Capacity (Kg/hr)	20
Thermal Load (MJ/h)	60
Pressure (kpa)	2.8
Gas Consumption (kg/h)	0.3
Voltage (V)	220 - 240 / 1
Frequency (Hz)	50 / 60
Wattage (W)	60
Thermostat (°C)	20 - 300°C
No. of Baking Tray	2
Weight (kg)	135
Inner Dimension / Deck (mm)	890 x 690 x 200
Machine Dimension (mm)	1340 x 900 x 660
Packing Dimension (mm)	1400 x 960 x 700



Gas Heated Baking Oven ~ 1 Deck

Model **BJJ-G60-1PRM**

Capacity (Kg/hr)	20
Thermal Load (MJ/h)	30
Pressure (kpa)	2.8
Gas Consumption (kg/h)	0.3
Voltage (V)	220 - 240 / 1
Frequency (Hz)	50 / 60
Wattage (W)	100
Thermostat (°C)	20 - 400°C
No. of Baking Tray	2
Weight (kg)	115
Inner Dimension / Deck (mm)	910 x 715 x 230
Machine Dimension (mm)	1340 x 975 x 700
Packing Dimension (mm)	1420 x 990 x 640



Gas Heated Baking Oven ~ 2 Deck

Model **BJJ-G120-2BD**

Capacity (Kg/hr)	30
Thermal Load (MJ/h)	120
Pressure (kpa)	2.8
Gas Consumption (kg/h)	0.6
Voltage (V)	220 - 240 / 1
Frequency (Hz)	50 / 60
Wattage (W)	120
Thermostat (°C)	20 - 300°C
No. of Baking Tray	4
Weight (kg)	250
Inner Dimension / Deck (mm)	890 x 690 x 200
Machine Dimension (mm)	1340 x 900 x 1420
Packing Dimension (mm)	1400 x 960 x 1420



Gas Heated Baking Oven ~ 2 Deck

Model **BJJ-G120-2PRM**

Capacity (Kg/hr)	40
Thermal Load (MJ/h)	60
Pressure (kpa)	2.8
Gas Consumption (kg/h)	0.6
Voltage (V)	220 - 240 / 1
Frequency (Hz)	50 / 60
Wattage (W)	200
Thermostat (°C)	20 - 400°C
No. of Baking Tray	4
Weight (kg)	210
Inner Dimension / Deck (mm)	910 x 715 x 230
Machine Dimension (mm)	1340 x 990 x 1357
Packing Dimension (mm)	1420 x 990 x 1300



Gas Heated Baking Oven ~ 3 Deck

Model **BJJ-G180-3BD**

Capacity (Kg/hr)	60
Thermal Load (MJ/h)	180
Pressure (kpa)	2.8
Gas Consumption (kg/h)	0.9
Voltage (V)	220 - 240 / 1
Frequency (Hz)	50 / 60
Wattage (W)	180
Thermostat (°C)	20 - 300°C
No. of Baking Tray	6
Weight (kg)	370
Inner Dimension / Deck (mm)	890 x 690 x 200
Machine Dimension (mm)	1340 x 900 x 1800
Packing Dimension (mm)	1400 x 960 x 1820



Gas Heated Baking Oven ~ 3 Deck

Model **BJJ-G180-3PRM**

Capacity (Kg/hr)	60
Thermal Load (MJ/h)	90
Pressure (kpa)	2.8
Gas Consumption (kg/h)	0.9
Voltage (V)	220 - 240 / 1
Frequency (Hz)	50 / 60
Wattage (W)	300
Thermostat (°C)	20 - 400°C
No. of Baking Tray	6
Weight (kg)	285
Inner Dimension / Deck (mm)	910 x 715 x 230
Machine Dimension (mm)	1340 x 990 x 1777
Packing Dimension (mm)	1420 x 990 x 1700



Gas Heated Baking Oven ~ 3 Deck

Model **BJJ-G270-3BD**

Capacity (Kg/hr)	90
Thermal Load (MJ/h)	210
Pressure (kpa)	2.8
Gas Consumption (kg/h)	1.3
Voltage (V)	220 - 240 / 1
Frequency (Hz)	50 / 60
Wattage (W)	210
Thermostat (°C)	20 - 300°C
No. of Baking Tray	9
Weight (kg)	470
Inner Dimension / Deck (mm)	1310 x 690 x 200
Machine Dimension (mm)	1760 x 900 x 1800
Packing Dimension (mm)	1820 x 960 x 1840



Gas Heated Baking Oven ~ 3 Deck

Model **BJJ-G270-3PRM**

Capacity (Kg/hr)	90
Thermal Load (MJ/h)	130
Pressure (kpa)	2.8
Gas Consumption (kg/h)	1.2
Voltage (V)	220 - 240 / 1
Frequency (Hz)	50 / 60
Wattage (W)	300
Thermostat (°C)	20 - 400°C
No. of Baking Tray	9
Weight (kg)	390
Inner Dimension / Deck (mm)	1330 x 715 x 230
Machine Dimension (mm)	1760 x 990 x 1777
Packing Dimension (mm)	1830 x 990 x 1700

Electrical Baking Oven



Model	BJY-3B6P-E
Voltage / Phase (V/Ph)	380 - 415 / 3
Frequency (Hz)	50 / 60
Input Power (W)	22500
Net Wattage (W)	423
Machine Dimension (mm)	1255 x 1165 x 1730
Packing Dimension (mm)	1360 x 1285 x 1885

- * With Timer
- * With Steam
- * With Ceramic Base
- * Without Baking Tray

Electrical Baking Oven



Model	BJY-3B12P-E
Voltage / Phase (V/Ph)	380 - 415 / 3
Frequency (Hz)	50 / 60
Input Power (W)	34200
Net Wattage (W)	588
Machine Dimension (mm)	1615 x 1275 x 1730
Packing Dimension (mm)	1707 x 1390 x 1885

- * With Timer
- * With Steam
- * With Ceramic Base
- * Without Baking Tray

1 Deck Gas Baking Oven + 12 Pans Proofer



Model	BJY-1B+12PF-G
Thermal Load (MJ/h)	60
Voltage / Phase (V/Ph)	220 - 240 / 1
Frequency (Hz)	50 / 60
Input Power (W)	1660
Net Wattage (W)	202
Machine Dimension (mm)	1310 x 960 x 1459
Packing Dimension (mm)	1410 x 1050 x 1660

- * With Timer
- * With Ceramic Base
- * Without Baking Tray

2 Decks Gas Baking Oven + 8 Pans Proofer



Model	BJY-2B+8PF-G
Thermal Load (MJ/h)	120
Voltage / Phase (V/Ph)	220 - 240 / 1
Frequency (Hz)	50 / 60
Input Power (W)	1720
Net Wattage (W)	282
Machine Dimension (mm)	1310 x 960 x 1810
Packing Dimension (mm)	1410 x 1050 x 1970

- * With Timer
- * With Ceramic Base
- * Without Baking Tray

2 Decks Electrical Baking Oven + 8 Pans Proofer



Model	BJY-2B+8PF-E
Voltage / Phase (V/Ph)	380 - 415 / 3
Frequency (Hz)	50 / 60
Input Power (W)	16200
Net Wattage (W)	336
Machine Dimension (mm)	1225 x 1100 x 1615
Packing Dimension (mm)	1360 x 1190 x 1790

- * With Timer
- * With Steam
- * With Ceramic Base
- * Without Baking Tray

2 Decks Electrical Baking Oven + 16 Pans Proofer



Model	BJY-2B+16PF-E
Voltage / Phase (V/Ph)	380 - 415 / 3
Frequency (Hz)	50 / 60
Input Power (W)	25600
Net Wattage (W)	475
Machine Dimension (mm)	1625 x 1300 x 1650
Packing Dimension (mm)	1710 x 1390 x 1800

- * With Timer
- * With Steam
- * With Ceramic Base
- * Without Baking Tray



Stainless Steel Single Door Proofer With Humidifier

Model	1DPF-16
No. Of Pan	16 nos
Voltage / Phase (V/Ph)	220-240 / 1
Frequency (Hz)	50 / 60
Input Power (W)	2000
Machine Dimension (mm)	530 x 785 x 2050
Packing Dimension (mm)	630 x 900 x 2190
Weight (Kg)	68

* Without Baking Tray



Stainless Steel Double Door Proofer With Humidifier

Model	2DPF-32
No. Of Pan	32 nos
Voltage / Phase (V/Ph)	220-240 / 1
Frequency (Hz)	50 / 60
Input Power (W)	2000
Machine Dimension (mm)	1068 x 785 x 2050
Packing Dimension (mm)	1180 x 900 x 2190
Weight (Kg)	104

* Without Baking Tray



Dough Divider

Model	BJY-DD120
Capacity (Pcs/time)	36
Dought Weight (G)	30 - 100
Voltage / Phase (V/Ph)	220-240 / 1
Frequency (Hz)	50
Wattage (W)	750
Machine Dimension (mm)	520 x 410 x 1300
Packing Dimension (mm)	670 x 580 x 1445
Weight (Kg)	193



Semi Auto Dough Divider Rounder

Model	BJY-DDR30
Capacity (Pcs/time)	30
Dought Weight (G)	30 - 100
Voltage / Phase (V/Ph)	380-415 / 3
Frequency (Hz)	50
Wattage (W)	750
Machine Dimension (mm)	600 x 730 x 1560
Packing Dimension (mm)	800 x 710 x 1560
Weight (Kg)	345



Dough Moulder

Model	BJY-DM390
Capacity (Pcs/time)	1000 - 3000
Working Wide (mm)	390
Voltage / Phase (V/Ph)	220-240 / 1
Frequency (Hz)	50
Wattage (W)	750
Machine Dimension (mm)	1300 x 665 x 1090
Packing Dimension (mm)	1510 x 765 x 1245
Weight (Kg)	208



Dough Sheeter

Model	BJY-DS500
Conveyer Belt (Wide)(mm)	500
Conveyer Belt (Length)(mm)	2000
Voltage / Phase (V/Ph)	380-415 / 3
Frequency (Hz)	50
Wattage (W)	400
Machine Dimension (mm)	2540 x 910 x 1150
Packing Dimension (mm)	1090 x 730 x 1270
Weight (Kg)	235



Pizza Oven

Model	BJJ-E-PO22
Voltage / Phase (V/Ph)	220-240 / 1
Frequency (Hz)	50 / 60
Input Power (W)	2200
Machine Dimension (mm)	610 x 620 x 278
Packing Dimension (mm)	700 x 710 x 340
Weight (Kg)	30



Pizza Oven

Model	BJJ-E-PO42
Voltage / Phase (V/Ph)	220-240 / 1
Frequency (Hz)	50 / 60
Input Power (W)	4200
Machine Dimension (mm)	870 x 810 x 386
Packing Dimension (mm)	960 x 910 x 485
Weight (Kg)	53

** Single phase - Isolator 25A/1 phase required.*



Toaster ~ 4 Slots

Model	BJJ-T4
Capacity (Pcs)	4
Heating Duration (Min)	0-5
Voltage / Phase (V/Ph)	220 - 240 / 1
Frequency (Hz)	50 / 60
Wattage (W)	1800
Machine Dimension (mm)	300 x 230 x 220
Packing Dimension (mm)	325 x 285 x 250
Weight (Kg)	4



Toaster ~ 6 Slots

Model	BJJ-T6
Capacity (Pcs)	6
Heating Duration (Min)	0-5
Voltage / Phase (V/Ph)	220 - 240 / 1
Frequency (Hz)	50 / 60
Wattage (W)	2500
Machine Dimension (mm)	430 x 230 x 220
Packing Dimension (mm)	460 x 285 x 250
Weight (Kg)	6.5



Electrical Conveyor Toaster

Model	BJJ-TT-300
Voltage / Phase (V/Ph)	220 - 240 / 1
Frequency (Hz)	50
Wattage (W)	1940
Machine Dimension (mm)	416 x 368 x 387
Packing Dimension (mm)	520 x 450 x 385
Weight (Kg)	18



Bread Slicer

Model	BJJ-BS31
Capacity (Pcs)	31
Voltage / Phase (V/Ph)	220 - 240 / 1
Frequency (Hz)	50
Wattage (W)	250
Machine Dimension (mm)	650 x 740 x 780
Packing Dimension (mm)	735 x 810 x 895
Weight (Kg)	82



Bread Slicer

Model	BJJ-BS31-60
Capacity (Pcs)	31
Voltage / Phase (V/Ph)	220 - 240 / 1
Frequency (Hz)	60
Wattage (W)	250
Machine Dimension (mm)	650 x 740 x 780
Packing Dimension (mm)	735 x 810 x 895
Weight (Kg)	82



Convection Oven ~ Without Steamer

Model	BJJ-E-CO28
Voltage / Phase (V/Ph)	220-240 / 1
Frequency (Hz)	50 / 60
Input Power (W)	2250
Machine Dimension (mm)	600 x 550 x 580
Internal Dimension (mm)	450 x 350 x 330
Packing Dimension (mm)	720 x 700 x 710
Weight (Kg)	32



BJY-WB23



BJY-WB40 / 60 / 80

Water Boiler - Electrical

Model	BJY-WB23	BJY-WB40	BJY-WB60	BJY-WB80
Voltage / Phase (V/Ph)	220-240 / 1	220-240 / 1	220-240 / 1	220-240 / 1
Frequency (Hz)	50 / 60	50 / 60	50 / 60	50 / 60
Wattage (W)	3000	3000	6000	6000
Current (A)	13.6	13.6	27.8	27.8
Capacity (Litres)	21	26	42	50
Machine Dimension (mm)	410 x 295 x 680	410 x 295 x 780	520 x 295 x 840	520 x 295 x 940
Packing Dimension (mm)	495 x 425 x 735	490 x 435 x 830	600 x 435 x 900	580 x 430 x 1010
Weight (Kg)	10	12	15	16

* Isolator 35A/1 phase required for model: BJY-WB60 & BJY-WB80



BJY-WBPU40-N



BJY-WBPU60-N / 80-N

Water Boiler with PU Insulation ~ Electrical

Model	BJY-WBPU40-N	BJY-WBPU60-N	BJY-WBPU80-N
Voltage/Phase (V/Ph)	220-240 / 1	220-240 / 1	220-240 / 1
Frequency (Hz)	50 / 60	50 / 60	50 / 60
Wattage (W)	3000	6000	6000
Current (A)	13.6	27.8	27.8
Capacity (Litres)	32	45	60
Machine Dimension (mm)	420 x 360 x 805	450 x 360 x 775	450 x 380 x 975
Packing Dimension (mm)	480 x 420 x 890	520 x 440 x 960	520 x 440 x 1060
Weight (Kg)	12	19	21.5

*Single Phase - Isolator 35A/1 phase required for model: BJY-WBPU60-N & BJY-WBPU80-N

*Single / Three Phase for model: BJY-WBPU60-N & BJY-WBPU80-N



BJY-WBPU10DT



BJY-WBPU30DT

Water Boiler with PU Insulation ~ Digital Control

Model	BJY-WBPU10DT	BJY-WBPU30DT
Voltage/Phase (V/Ph)	230	230
Frequency (Hz)	50	50
Wattage (W)	2000	3000
Current (A)	8.7	13
Capacity (Litres)	10	30
Machine Dimension (mm)	180 x 320 x 630	180 x 430 x 740
Packing Dimension (mm)	400 x 250 x 680	400 x 240 x 780
Net Weight (Kg)	8	10.5
Gross Weight (Kg)	9.2	12.1



BJY-U20-B



BJY-U30-B

Stainless Steel Electrical Water Urn ~ Concealed Heater

Model	BJY-U20-B	BJY-U30-B
Capacity (Litres)	20	30
Voltage/Phase (V/Ph)	220-240	220-240
Frequency (Hz)	50 / 60	50 / 60
Wattage (W)	2250	2600
Net Weight (Kg)	3.22	3.92
Gross Weight (Kg)	4.48	5.66
Machine Dimension (mm)	∅270 x 587	∅310 x 640
Packing Dimension (mm)	340 x 340 x 635	370 x 370 x 685



Meat Slicing Machine
***Economic Semi Auto**

Model	BJY-SM250-EN
Blade Diameter (mm)	250
Slicing Thickness (mm)	0 - 9
Voltage / Phase (V/Ph)	220-240 / 1
Frequency (Hz)	50 / 60
Wattage (W)	150
Machine Dimension (mm)	480 x 420 x 400
Packing Dimension (mm)	520 x 460 x 380
Weight (Kg)	15



Meat Slicing Machine
***Economic Semi Auto**

Model	BJY-SM300-EN
Blade Diameter (mm)	300
Slicing Thickness (mm)	0 - 11
Voltage / Phase (V/Ph)	220-240 / 1
Frequency (Hz)	50 / 60
Wattage (W)	250
Machine Dimension (mm)	600 x 520 x 450
Packing Dimension (mm)	630 x 530 x 460
Weight (Kg)	23



Meat Mincer

Model	BJY-MM12/S BJY-MM12/S-60
Capacity (Kg/hr)	120
Voltage / Phase (V/Ph)	220-240 / 1
Input Power (W)	650
Machine Dimension (mm)	360 x 190 x 415
Packing Dimension (mm)	430 x 255 x 415
Weight (Kg)	21



Meat Mincer

Model	BJY-MM22/S BJY-MM22/S-60
Capacity (Kg/hr)	220
Voltage / Phase (V/Ph)	220-240 / 1
Input Power (W)	1100
Machine Dimension (mm)	470 x 240 x 570
Packing Dimension (mm)	590 x 350 x 560
Weight (Kg)	35



Meat Mincer
- Floor Standing

Model	BJY-MM75FS
Voltage / Phase (V/Ph)	220-240 / 1
Frequency (Hz)	50
Wattage (W)	750
Capacity (Kg/hr)	220
Machine Dimension (mm)	305 x 330 x 595
Packing Dimension (mm)	460 x 420 x 700
Weight (Kg)	50



Meat Slicer
- Floor Standing

Model	BJY-MS75AFS
Voltage / Phase (V/Ph)	220-240 / 1
Frequency (Hz)	50
Wattage (W)	750
Capacity (Kg/hr)	220
Machine Dimension (mm)	360 x 310 x 610
Packing Dimension (mm)	450 x 410 x 700
Weight (Kg)	57



Meat Mincer & Slicer
- Floor Standing
(Meat Preparation Machine)

Model	BJY-MMS300A
Voltage / Phase (V/Ph)	220-240 / 1
Frequency (Hz)	50
Wattage (W)	750 + 750
Capacity - Slice (Kg/hr)	400
Capacity - Shredded	200
Capacity - Mince	220
Machine Dimension (mm)	550 x 400 x 680
Packing Dimension (mm)	690 x 540 x 820
Weight (Kg)	95



Feather Removal Machine

Model	BJY-FRM60
Voltage / Phase (V/Ph)	220-240 / 1
Frequency (Hz)	50
Wattage (W)	1100
Machine Dimension (mm)	600 x 600 x 930
Packing Dimension (mm)	690 x 690 x 990
Weight (Kg)	60



Potato & Vegetable Peeler

Model	BJY-PP10
Voltage / Phase (V/Ph)	220-240 / 1
Frequency (Hz)	50
Input Power (W)	750
Processing Time (Per Batch/min)	0.5-2
Capacity (Kg)	10
Machine Dimension (mm)	630 x 630 x 1080
Packing Dimension (mm)	670 x 660 x 1150
Weight (Kg)	68



Bone Saw

Model	BJY-BSM650
Voltage / Phase (V/Ph)	220-240 / 1
Frequency (Hz)	50
Input Power (W)	650
Speed (R/min)	1420
Thickness of Saw Band (mm)	0.5
Length of Saw Bank (mm)	1650
Cutting Thickness (mm)	5-155
Cutting Height (mm)	<180
Machine Dimension (mm)	525 x 470 x 850
Packing Dimension (mm)	560 x 575 x 910
Weight (Kg)	41



Four Glass Display Chiller

Model	BJJ-4GDC78L	BJJ-4GDC98L	BJJ-4GDC235CD
Temperature °C (Celsius)	0 to +12	0 to +12	0 to +12
External Dimension (mm)	426 x 380 x 955	426 x 380 x 1172	515 x 485 x 1714
Packing Dimension (mm)	475 x 432 x 1038	475 x 432 x 1180	580 x 540 x 1900
Capacity (L)	78	98	235
Refrigerant	R134a	R134a	R134a
Voltage / Frequency (V / Hz)	220-240 / 50	220-240 / 50	220-240 / 50
Wattage (W)	164	164	250
Shelves (PVC)	3	4	4
Net Weight (kg)	34	38	78
Unit for 20ft Container	124	62	36
Unit for 40ft Container	258	129	76

* Non Heated Glass



Display Chiller

Piping System

Blower System

Model	BJJ-DCPS220	BJJ-DCPS350	BJJ-DCBS268	BJJ-DCBS350
Temperature Range (°C)	0 - 10	0 - 10	0 - 10	0 - 10
External Dimension (mm)	530 x 635 x 1721	620 x 635 x 2011	530 x 595 x 1821	620 x 595 x 2011
Package Dimension (mm)	585 x 665 x 1771	685 x 665 x 2061	585 x 625 x 1880	685 x 665 x 2070
Capacity (L)	220	350	250	350
Refrigerant	R134a	R134a	R134a	R134a
Voltage / Frequency (V/Hz)	220-240 / 50	220-240 / 50	220-240 / 50	220-240 / 50
Wattage (W)	180	245	210	255
Max. ambient temp	38°C	38°C	38°C	38°C
Ampere (A)	1.27	1.7	1.7	1.9
Energy Consumption (kw/24h)	2	2.6	1.7	2.86
Defrost System	Manual	Manual	Automatic	Automatic
Gross Weight (Kg)	62	85	72	85
Unit for 20ft Container	30	24	27	24
Unit for 40ft Container	72	54	60	54

* Non Heated Glass

Piping System

Blower System



Wine Cooler - Dual Zone

Model	BJJ-WC320D/122	BJJ-WC428D/171
Temperature range (°C)	Dual Zone 5-22°C	Dual Zone 5-22°C
Capacity - Litres	320	415
- Bottles	upper : 55 lower : 67	upper : 88 lower : 83
Refrigerant	R600a/42g	R600a/42g
Voltage / Frequency (V/Hz)	220-240/50	220-240/50
Defrost System	Automatic	Automatic
Class Mate	SN/N/ST	SN/N/ST
Net Weight (kg)	81.8	90
Gross Weight (kg)	88	107
Machine Dimension (mm)	595 x 690 x 1480	595 x 680 x 1770
Package Dimension (mm)	660 x 755 x 1535	660 x 745 x 1960

* Stainless Steel Door Frame



Display Chiller - Blower System

Model	BJJ-DCBS1000
Capacity-Gross (L)	879
Temperature range (°C)	2-10°C
Voltage / Frequency (V/Hz)	220-240V/50Hz
Rated Input Power (W)	500
Refrigerant	R134a
Defrost System	Automatic
Class Mate	N
Net Weight (kg)	140
Gross Weight (kg)	152
Machine Dimension (mm)	1000 x 750 x 2020
Package Dimension (mm)	1045 x 775 x 2085



Table Top



Free Standing

Ice Cream Machine

	Table Top	Free Standing
Model	BJY-ICM18B-TT	BJY-ICM18B-FS
Voltage	220V/50Hz	220V/5Hz
Power (watt)	1800	1800
Refrigerant	R404a	R404a
Flavour	2+1 Mixed Flavour	2+1 Mixed Flavour
Cylinder Volume	2.0L x 2	2.0L x 2
Hopper Volume	6.5L x 2	6.5L x 2
Airpump	Yes	Yes
Compressor (hp)	1HP	1HP
Compressor Input Power (kw)	1.0kw	1.0kw
Product Dimension (mm)	715 x 560 x 780	715 x 560 x 1380
Packing Dimension (mm)	840 x 620 x 900	840 x 620 x 1480
Net Weight (kg)	105	110
Gross Weight (kg)	115	120



Undercounter



Free Standing

SIMAG Ice Machine

	Undercounter	Free Standing	
Model	BJY-BL55AS	BJY-SVD203A	BJY-SVD303A
Voltage / Phase (V/Ph)	230/50/1	220-240 / 1	220-240 / 1
Frequency (Hz)	50	50	50
Power Input (W)	500	1000	1600
Water Consumption (L/100 lbs ice) for air cooled model at 32/21 deg C	52	57.9	65.6
Refrigerant	R134a	R404a	R404a
Bin Dimension (mm)	620 x 410 x 130	710 x 810 x 990	710 x 810 x 990
Machine Dimension (mm)	675 x 580 x 750/767	760 x 620 x 575	760 x 620 x 575
Packing Dimension (mm)	740 x 640 x 890	830 x 690 x 755	830 x 690 x 755
Gross Weight (Kg)	64.5	85	88
Inclusive Ice Bin	No	Yes	Yes



Undercounter



Free Standing

Commercial Automatic Dish Washer

	Undercounter	Free Standing
Model	BJY-DW1200	BJY-DW3210S
Dimension (mm)	600 x 600 x 830	650 x 650 x 1355
Washing Tank (Litres)	18	40
Max. Temperature of Washing	80 ~ 85°C	65°C
Washing Time	40 Sec - 120 Sec (8 Steps)	40 Sec - 120 Sec (8 Steps)
RINSE Capacity (Litres)	8	27
Max. Temperature of Rinse	80 ~ 85°C	85°C
RINSE Time	6 Sec - 13 Sec (8 Steps)	6 Sec - 13 Sec (8 Steps)
Voltage (V/Hz)	220 / 1 / 50 / 60	380-415 / 3 / 50 / 60
Max. Electric Power (Kw/h)	4	1.4
Washing Capability (Per Hour)	36-40 Racks	1500 pcs Bowl 350-460pcs Bowl (Big Size) 2000pcs Glass Cup (Max)



Product Features

- Aesthetic design
- Saving type (ENERGY, DETERGENT, RINSE, TIME)
- Sanitary (WASHING, RINSE PUMP)
- Built-In hot water booster
- Easy installation
- Full automatic (WASHING → RINSE / STERILIZATION SELF / DRYING)
- Enable to install in every shop
- F mode high pressure washing function
- Usable with universal types and dimension of the dish



**Stainless Steel Ashtray Bin
~Perforated Cover**

Model **BJY-ASH-PC**
Dimension (mm) **Ø250 x 610**



**Stainless Steel Round
Service Trolley**

Model **BJY-RST**
Dimension (mm) **Ø400 x 715**



**Stainless Steel Square
Ashtray Bin
~Perforated Cover**

Model **BJY-SQASH-PC**
Dimension (mm) **Ø250 x 610**



**Stainless Steel Rectangular
Service Trolley
(Knock Down)**

Model **BJY-ST-KD**
Dimension (mm) **450 x 400 x 765**



**Stainless Steel Square
Ashtray Bin ~Flip Cover**

Model **BJY-SQASH-FC**
Dimension (mm) **Ø250 x 610**



**Stainless Steel
Seasoning Trolley
(Knock Down)
~ 8 Compartments**

Model **BJY-SST8-KD-CS**
Dimension (mm) **850 x 450 x 900**
* with 8 nos of Bowl



Stainless Steel BBQ

Model **BJY-BBQ-645**
Dimension (mm) **645 x 370 x 700**

Stainless Steel Dining Trolley (Knock Down)

Stainless Steel 2 Tier Dining Trolley

Model **BJY-2TDT-KDS (Small)**
Dimension (mm) **750 x 400 x 835**
Packing Dimension **750 X 430 X 125**

Model **BJY-2TDT-KDM (Medium)**
Dimension (mm) **850 x 450 x 900**
Packing Dimension **830 X 470 X 125**

Model **BJY-2TDT-KDL (Large)**
Dimension (mm) **950 x 500 x 950**
Packing Dimension **930 x 530 x 125**



Stainless Steel 3 Tier Dining Trolley

Model **BJY-3TDT-KDS (Small)**
Dimension (mm) **750 x 400 x 835**
Packing Dimension **730 X 430 X 155**

Model **BJY-3TDT-KDM (Medium)**
Dimension (mm) **850 x 450 x 900**
Packing Dimension **830 x 470 x 155**

Model **BJY-3TDT-KDL (Large)**
Dimension (mm) **950 x 500 x 950**
Packing Dimension **930 X 530 X 155**

Stainless Steel Dish Collection Trolley

Model **BJY-DCT-KDS (Small)**
Dimension (mm) **750 x 400 x 835**
Packing Dimension **760 x 430 x 140**

Model **BJY-DCT-KDM (Medium)**
Dimension (mm) **850 x 450 x 900**
Packing Dimension **860 x 480 x 140**

Model **BJY-DCT-KDL (Large)**
Dimension (mm) **950 x 500 x 950**
Packing Dimension **960 x 530 x 140**



Stainless Steel Baby Chair

Model **SP : BC**
Dimension (mm) **340 x 530 x 820**



**Cutlery Trolley
(Knock Down)**

Model	BJY-CT
Dimension (mm)	850 x 450 x 900
a) Frame Work	815 x 815 x 150
b) Plastic container / Edge handling bin	550 x 400 x 370



**Knock Down Stainless Steel
Cooling Rack
- for Food Pan**

Model	K-CR-FP-439
Dimension (mm)	390 x 550 x 1735
Packing Dimension (mm)	1650 x 590 x 100
Model	K-CR-FP-304
Dimension (mm)	390 x 550 x 1735
Packing Dimension (mm)	1650 x 590 x 100



**Cutlery Trolley
(Knock Down)**

Model	3 TCT (S)
Dimension (mm)	730 x 420 x 980
Container / Handling Bin Capacity	25 / 20
Packing Dimension (mm)	
a) Frame Work	882 x 87 x 539
b) Plastic container / Edge handling bin	530 x 385 x 325



**Knock Down Stainless Steel
Cooling Rack
- for Baking Tray**

Model	K-CR-BT-439
Dimension (mm)	470 x 620 x 1735
Packing Dimension (mm)	1650 x 660 x 110
Model	K-CR-BT-304
Dimension (mm)	470 x 620 x 1735
Packing Dimension (mm)	1650 x 660 x 110



**Cutlery Trolley
(Knock Down)**

Model	3 TCT (L)
Dimension (mm)	810 x 470 x 1020
Container / Handling Bin Capacity	40 / 20
Packing Dimension (mm)	
a) Frame Work	930 x 87 x 620
b) Plastic container / Edge handling bin	615 x 455 x 300



Wire Shelving

Material	Stainless Steel
Model	BJY-3621-6SS
Dimension (mm)	910 x 530 x 1803
Model	BJY-4821-6SS
Dimension (mm)	1220 x 530 x 1803
Model	BJY-6021-6SS
Dimension (mm)	1525 x 530 x 1803
Material	Chrome
Model	BJY-3621-6C
Dimension (mm)	910 x 530 x 1803
Model	BJY-4821-6C
Dimension (mm)	1220 x 530 x 1803
Model	BJY-6021-6C
Dimension (mm)	1525 x 530 x 1803



**Cutlery Trolley
(Knock Down)**

Model	4 TCT (S)
Dimension (mm)	730 x 420 x 1250
Container / Handling Bin Capacity	25 / 20
Packing Dimension (mm)	
a) Frame Work	1150 x 87 x 539
b) Plastic container / Edge handling bin	530 x 385 x 365



**Cutlery Trolley
(Knock Down)**

Model	4 TCT (L)
Dimension (mm)	810 x 470 x 1250
Container / Handling Bin Capacity	40 / 20
Packing Dimension (mm)	
a) Frame Work	1150 x 87 x 620
b) Plastic container / Edge handling bin	615 x 455 x 380



Stainless Steel Rectangular Table

Model **SP : ST(SS)**
 Dimension (mm) 1130 x 720 x 760



Granite Rectangular Table

Model **SP : GT(BG) / SP : GT(IR)**
 Dimension (mm) 1220 x 710 x 760



Black Galaxy (BG)



Imperial Red (IR)



Fibreglass Square Metal Table

Model **FST2424**
 Dimension (mm) 610 x 610 x 760

Model **FST2727**
 Dimension (mm) 685 x 685 x 760



Fibreglass Rectangular Metal Table

Model **FRT4227**
 Dimension (mm) 1070 x 685 x 760

Model **FRT4824**
 Dimension (mm) 1220 x 610 x 760

Model **FRT4827**
 Dimension (mm) 1220 x 685 x 760

Model **FRT4224**
 Dimension (mm) 1070 x 610 x 760



Fibreglass Metal Chair (Seat 15")

Model	BJY 3C	BJY 3R	BJY 2R
Seat Diameter (mm)	380	380	380



Stainless Steel Chair

Model **SP : C**
 Dimension (mm) 450 x 570 x 780



Orange




Black



Pepsi Blue



Dark Brown



Yellow

Plastic Chair

With Galaxy




7751 bws orange




9441 bws yellow




9441 bws maroon




3500 bws red



1037 bws dolphine green



2677 bws apple green




4226 bws tnb blue




2121 bws sky blue


Without Galaxy



7751 orange




9441 yellow




3132 maroon



3500 red




1037 dolphine green



2677 apple green



4226 tnb blue



2121 sky blue



ISO 9001: 2015

BERJAYA®

BERJAYA STEEL PRODUCT SDN. BHD.

(Company No. 301440-W)

Office : 191-5, 5th Floor, Wisma CKE, Jalan Lancang off Jalan Cheras, 56100 Kuala Lumpur, Malaysia.
Hunting line : +603-9145 8888 Telephone : +603-9130 1213 Fax : +603-9130 1226

Factory : PT 16736, Jalan Permata 1, Arab Malaysian Industrial Park,
71800 Nilai, Negeri Sembilan, Malaysia.

Email : export@berjayasteel.com

Website : www.berjayasteel.com

Export Equipment/REV-15/2020/01